

Increasing cuticular wax concentrations in a drier climate promote litter flammability

Elena Ormeño, Julien Ruffault, Caroline Gutigny, Javier Madrigal, Mercedes Guijarro, Carmen Hernando, Christine Ballini

▶ To cite this version:

Elena Ormeño, Julien Ruffault, Caroline Gutigny, Javier Madrigal, Mercedes Guijarro, et al.. Increasing cuticular wax concentrations in a drier climate promote litter flammability. Forest Ecology and Management, 2020, 473, pp.118242. 10.1016/j.foreco.2020.118242. hal-02867824

HAL Id: hal-02867824 https://amu.hal.science/hal-02867824v1

Submitted on 16 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

- **I** Increasing cuticular wax concentrations in a drier climate promote litter flammability
- 2 Ormeño Elena^{1*}, Ruffault Julien², Gutigny Caroline¹, Madrigal Javier^{3,4}, Guijarro
- 3 Mercedes^{3,4}, Hernando Carmen^{3,4}, Ballini Christine¹.
- ⁴ ¹CNRS, Aix Marseille Univ, Univ Avignon, IRD, IMBE, Marseille, France.
- ⁵ ² Inra, Ur 0629 Urfm Ecologie Des Forêts Méditerranéennes. Centre De Recherche Provence-
- 6 alpes-côte D'azur, Avignon, France.
- ⁷ ³ Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria (INIA) Centro de
- 8 Investigación Forestal (CIFOR) Departamento de Dinámica y Gestión Forestal, Madrid,

9 Spain.

⁴ Instituto Universitario de Investigación en Gestión Forestal Sostenible, UVa-INIA, Madrid,
 Spain

12

13 ***Corresponding author:**

- 14 Ormeño Elena
- 15 *Email*: elena.ormeno-lafuente@imbe.fr
- 16 *Tel*: +33 (0) 413 55 12 26

17 Abstract

Several plant chemical traits (cellulose, tannins and terpenes) have been related to plant 18 flammability. Contrastingly, no study has focused on the relationship between plant 19 flammability and physico-chemical leaf litter traits with a focus on cuticular wax concentration. 20 This study focuses on alkane cuticular waxes because of their relatively low flash point and 21 storage in the cuticle of all vascular plant species. The sclerophyllous species Quercus coccifera 22 is the model species since it is the main shrub species in the Mediterranean basin and all 23 previously investigated sclerophyllous species feature a high cuticular wax content. Litter was 24 25 collected in a Mediterranean garrigue where Q. coccifera grows under natural drought and recurrent aggravated drought (consisting of 5.5 years of rain restriction). These different 26 drought conditions were expected to imply different alkane wax concentrations since one of the 27 major roles of cuticular waxes is evapotranspiration limitation during drought. Litter 28 flammability was assessed through ignition delay, flame residence time and flame height 29 (assessed using an epiradiator) and gross heat of combustion (using an adiabatic bomb 30 calorimeter). Results showed that the higher cuticular alkane concentrations reached under 31 aggravated drought were associated with an increased leaf litter flammability as expected. 32 These results confirm that all potentially flammable organic metabolites (terpenes as previously 33 reported in other studies, and cuticular alkane waxes) are drivers of vegetation flammability. It 34 is suggested that Q. coccifera flammability (considered as low to moderate), could increase 35 under a drier scenario in the Mediterranean area. We hypothesize that fire severity would 36 accordingly be intensified in shrubs dominated by this sclerophyllous species without 37 necessarily increasing vulnerability of Q. coccifera to fire since this is a resprouter species after 38 fire and is one of the main pioneer species during post-fire vegetation succession. 39

Keywords: ignitability, alkanes, plant metabolites, sclerophyllous species, kermes oak,
 Quercus coccifera, climate change, Mediterranean climate, fire hazard, laboratory tests.

42 **1 Introduction**

Mediterranean climate favors wildfire in Mediterranean shrub and forest ecosystems, 43 especially in summer when low precipitation and high temperatures reduce biomass water 44 content (Fares et al., 2017). Projection studies indicate increasing fire danger and frequency in 45 the Mediterranean region because of the drier conditions expected in this region by the end of 46 the century (Moriondo et al., 2006; Turco et al., 2018). Drought severity especially affects fire 47 prone ecosystems, such as Mediterranean garrigues, with vegetation being the only factor 48 influencing fire regime that can be managed to reduce probability of fire events. Proper 49 understanding of fuel traits that are modified as drought is intensified, and their eventual impact 50 on garrigue fire hazard is especially crucial since Mediterranean garrigues are prone to 51 widespread crown fires (D'Odorico et al., 2019) and are one of the most abundant fuel types 52 both in natural and Wildland-Urban Interfaces where garrigues are often juxtaposed with large 53 metropolitan centers (Pimont et al., 2018; Lampin-Maillet et al., 2010). Management of these 54 Mediterranean ecosystems is thus a major challenge of special concern. 55

External factors to the plant (e.g. wind, temperature, air humidity, precipitation, 56 topography, forest management practices) are tightly related to wildfire activity. Internal 57 vegetation factors including physical and chemical traits of green leaves and leaf litter are also 58 drivers of wildfire through their effect on flammability (Varner et al., 2015). Several studies 59 have revealed a clear positive correlation between terpene content and flammability, both in 60 green leaves and litter of Mediterranean plant species (Ormeño et al., 2009; Pausas et al., 2015; 61 Della Rocca et al., 2017). In species with high terpene amounts in specific storage structures 62 like trichomes (Rosmarinus spp., Lavandula spp.), and resinous cavities (coniferous species), 63 terpene content thereby plays a significant role in plant flammability at least under low fuel 64 water content. 65

The importance of terpene content in flammability of green or dead leaves in litter is 66 however only relevant in terpene storing species. All vascular species possess waxy compounds 67 in the upper cuticle layer (epicuticle) whose potential role in vegetation flammability could be 68 noticeable. Epicuticular waxes cover the leaf forming a lipophilic layer which play numerous 69 ecophysiological roles including evapotranspiration regulation, limitation of herbivore damage 70 (e.g. anti-climb surface) and increasing UV reflection (Shepherd and Wynne Griffiths, 2006). 71 Both, cuticle production and epicuticular wax accumulation can thus be naturally reinforced in 72 plant species to increase tolerance to water deficit for example (Kosma et al., 2009; Xue et al., 73 74 2017). The composition of the epicuticle is a complex mixture of long-chain aliphatics, commonly named waxes, most of which can be classified as alkanes, alkanols, alkanals, 75 alkanones, alkanoic acids and alkyl esters. Among all these compounds, alkanes are considered 76 as the only ubiquitous waxes since they are present in the cuticle of almost all vascular plant 77 species (Heredia and Dominguez, 2009). These compounds, which mostly range from C_{21} to 78 C₃₅, are also of particular interest due to their influence on flammability. The flash point, the 79 temperature at which a liquid fuel gives off sufficient vapor resulting in a flash fire when an 80 ignition source is present, ranges from 120 to 356 °C respectively (as reported in several 81 chemical manufacturer's Material Safety Data Sheets). Based on the relatively high 82 flammability of alkane-waxes and the potential role of waxes to limit water losses in plants, it 83 is important to evaluate whether aggravated drought expected under Mediterranean climate 84 change can lead to an increased accumulation of alkane-waxes in green or litter leaves 85 eventually favoring their flammability. 86

It deserves special attention to evaluate traits that influence litter flammability since this fuel is ubiquitously present in all vegetation formations, fires often start in litter and fire behavior is influenced by surface fuels and senesced leaf litter in particular (Plucinski and Anderson, 2008; Varner et al., 2015). Moreover, litter provides relatively extensive surface

4

loads of fuels with poor moisture content in which individual leaves are easy to ignite and thus
contribute to the initial fire propagation (Plucinski and Anderson, 2008). Then, well-connected
surface fuels enable fire to spread easier since they influence its transmission to the upper
vegetation (Belcher, 2016).

The importance of litter as a fuel could be especially relevant in dense Quercus coccifera 95 L. shrubs under aggravated drought since sclerophyllous species features both, high annual litter 96 production (968.8 \pm 43.8 g m⁻²) compared to other shrub species (e.g. *Rosmarinus officinalis* 97 L., and Ulex parviflorus Pourr) (Rodriguez-Ramirez et al., 2017) and slow decomposition rates, 98 especially under aggravated drought conditions when fuel moisture content is the lowest 99 (Santonja et al., 2019). Thus, this shrub species thereby provides a relatively high annual 100 amount of dead particles that accumulate on the soil. Moreover, Q. coccifera accounts for the 101 main shrub species in Southern France where it occupies more than 100 000 ha and more than 102 2 million ha in the Mediterranean region (Le Houérou, 1973; Trabaud, 1979). Although Q. 103 coccifera litter features low ignitability as tested in laboratory studies using litter beds (Curt et 104 al., 2010), epicuticular waxes (never documented so far) could be highly concentrated in a more 105 arid climate eventually promoting litter flammability. Indeed, cuticular waxes are highly 106 concentrated in leaves of other sclerophyllous and evergreen Mediterranean species (Olea 107 europaea L., Quercus suber L., and Quercus ilex L.) (Martins et al., 1999; Huang et al., 2017). 108

The main aim of this study was to test in the laboratory the relationship between *Q*. *coccifera* leaf litter flammability and epicuticular alkane concentrations, through a range of alkane concentrations expected to occur under natural and recurrent aggravated drought conditions simulated in the field with rain exclusion systems. We additionally evaluated the relationship between litter flammability and several physical traits including litter cuticle production and the classical traits, leaf area and specific leaf area (SLA). Anticipating if a drier climate will modify physico-chemical litter traits in sclerophyllous evergreen species and consequences on litter flammability is of special interest in fire ecology and fire managementin garrigue ecosystems.

118 **2 Materials and methods**

119 2.1 Experimental site and design

The study was carried out in the experimental site of CLIMED (https://www.imbe.fr/zoom-sur-120 1-anr-climed.html), a garrigue where Q. coccifera (Fagaceae) is the dominant shrub species. 121 Other species co-exist including the perennial grass Brachypodium retusum P. Beauv. 122 (Poaceae) and the shrubs Cistus albidus L. (Cistaceae), Rosmarinus officinalis L. (Lamiaceae) 123 and Ulex parviflorus Pourr. (Fabaceae). The site is located at the Chaîne de l'Etoile mountain 124 in the North of Marseille (43°220 N; 5°250 E, south France, 275 m a.s.l., mean slope < 1°). For 125 soil details of the site see Rodriguez Ramirez et al. (2017). The site features a Mediterranean 126 climate with hot and dry summers (on average over 30 years, 100 days y⁻¹) and wind throughout 127 the year with a minimum average wind speed of 57 km h⁻¹ (highly windy site, 128 www.infoclimat.fr). Mean annual temperature at the site is 14.6 °C and mean annual 129 precipitation is 552 mm averaged over the period 2002 - 2015 from the two closest 130 meteorological stations to our experimental site (Météo France stations: Marignane 43°260 N, 131 5°120 E and Marseille 43°150 N, 5°220 E). Total annual precipitation during 2016 (the year 132 preceding litter sampling) was 530 mm (Fig. 1), in the range of the mean annual precipitation 133 recorded between 2011 and 2015 (www.infoclimat.fr). The last fire in this Q. coccifera garrigue 134 occurred in 1997 when 3,500 ha burned from a total of 10,000 ha garrigue. 135

Rain exclusion (recurrent aggravated drought treatment) was carried out in 10 rain plots set-up in October 2011 that received on average 30 % less rainfall compared to control plots (Fig. 1). Each rain exclusion plot presented 16 m² surface and was equipped with a 4 m \times 4 m solid aluminum frame held 2 m above the ground, using aluminum posts at the outer

6

circumference of the 16 m² plot area and fixed to the ground with reinforcing bars. Stainless 140 steel gutters were mounted on top of the aluminum frame. A supplementary PVC gutter and a 141 pipe mounted at the border of the frame allows for evacuation of rainwater away from the plots. 142 The control plots consisted of 10 other plots (16 m², 4 m \times 4 m) adjacent to the rain exclusion 143 plots. Control plots received 100% rain since they did not present any solid frame above the 144 ground. Leaf litter of *Q. coccifera* was collected in the 4-m² central zone of each plot to avoid 145 edge effect. In all plots (rain exclusion and control plots), Q. coccifera was the major species 146 with at least 80 % of *Q. coccifera* cover. Litter from the 20 plots was collected in February 147 2017, that is, 5.5 years after rain exclusion was applied. Only superficial and entire leaf litter 148 was collected, corresponding to litter from the first stages of decomposition. 149



Fig. 1 Cumulative precipitation (left graph) and ombrothermic diagram (right graph) for the experimental site (CLIMED) in 2016, before litter was collected (February 2017). For cumulative precipitation, mean (line) and standard deviation (shaded area) are represented.

154 2.2 Litter conditioning before physico-chemical analysis

Leaf litter was partially dehydrated before any chemical or flammability analysis. This approach resulted in an average litter moisture content just below 15 % (13.2 ± 0.4 and $13.0 \pm$ 0.5, mean \pm standard error, under natural and recurrent aggravated drought respectively), since litter is extremely flammable below this threshold (Whelan, 1995; de Dios et al 2015). Litter was however not completely dehydrated to work under realistic litter moisture contents during summer months (Larchevêque et al 2005, data from CLIMED). Partial dehydration was achieved by oven-drying leaf litter at 35 °C during 4 days. Litter moisture content was
calculated as follows:

Litter humidity after partial dehydration (%) = $\frac{Partially dried mass - Dry mass}{Dry mass} \times 100$ where dry mass corresponds to oven dried litter mass at 60 °C during 72 h, and partially dried mass corresponds to oven-dried litter mass at 35 °C during 4 days. Within each plot, three samples of 5 g each were used to calculate litter moisture content after partial dehydration. These samples were not used for cuticular alkane extractions to avoid potential losses of these waxes during the oven-drying process.

169 2.3 Flammability measurements

The following flammability parameters were determined on partially dehydrated litter: *i*) ignition delay (ignitability indicator) measured as the time flame took to appear since litter was placed in a epiradiator (see below) and expressed in s, *ii*) flame residence time or duration of flaming combustion (sustainability indicator) measured as the time flame was visible from ignition until extinction and expressed in s, *iii*) maximum flame height (combustibility indicator) measured in cm according to a reference grid, and, *iv*) gross heat of combustion produced during complete combustion (sustainability indicator) expressed in KJ g⁻¹.

Ignition delay, flame residence time and maximum flame height were measured in a closed room using a standard epiradiator delivering a 500 W constant nominal power rating. The epiradiator had a surface made of a vitreous fused silica disk of 100 mm diameter generating a surface standard temperature of 420 °C. Flammability was measured on 10 pseudoreplicates of leaf litter from each rain exclusion plot and each control plot (totaling 195 measurements since 5 measurements were technically lost). To this purpose, 0.5 g of partially dried litter mass (corresponding to 13 - 25 leaves) was put in the center of the silica disk.

Gross heat of combustion was determined following the method outlined in the 184 International Standard ISO 1716 (Madrigal et al., 2011). Within each plot, a representative litter 185 sample was collected and ground to 0.51 mm in a mill. Pellets of about 1 g of the ground 186 material were prepared using a hand press, oven-dried at 60 °C for 48 h and then weighed. 187 Measurements were made with an adiabatic bomb calorimeter equipped with a platinum 188 resistance sensor (PT-100). Both, mill and adiabatic bomb calorimeter were manufactured by 189 IKA®. Gross heat of combustion of each plot was obtained as the average of the measurements 190 obtained on three replicates per plot which comply with the repeatability criteria (standard error 191 192 less than 1 %).

193 2.4 Epicuticular alkane extraction and analysis

Epicuticular wax extraction did not aim to be exhaustive but was focused on alkane extraction 194 alone. For this purpose, 1 g of partially dried litter was immersed into 6 ml of an organic solvent 195 mixture formed by cyclohexane and chloroform (70:30 volume) containing a fixed amount 196 (37.1 ng) of an internal standard (IS, undecane). This IS was not naturally present in litter 197 leaves. Within each plot, we performed three extractions from the same litter pool (totaling 60 198 extractions). Extractions were performed with constant shaking for 60 s. The extract was 199 filtered with a PTFE syringe filter (0.2 µm, 30 mm diameter). Analyses were performed using 200 a gas chromatograph (GC, Hewlett Packard GC6890[®]) coupled to a mass spectrometer (MS, 201 HP 5973N). The HP-5MS capillary column (30 m) in the GC was in constant flow mode and 202 was connected directly to the MS. Sampled volumes (1 µl) of each alkane extract were injected 203 through an automatic injector (ALS 7683). Helium (99.995 %) was used as carrier gas. The 204 oven temperature was initially set at 50 °C and then it increased to 160 °C at a rate of 2 °C min⁻ 205 206 ¹. It then remained constant for 5 min. Epicuticular alkanes were identified by comparison of the retention time and mass spectrum of detected compounds with those of the authentic 207 reference samples (n-C₂₁-C₄₀ alkane standard from Aldrich–Firmenich). Their identity was then 208

9

confirmed with generated libraries of retention indexes (Adams 2007). Alkanes were quantified
by considering their relative response factor (RRF) using the following formula:

$$RRF = \frac{S_{Alkane}/S_{IS}}{Q_{Alkane}/Q_{IS}}$$

211

where S_{Alkane} is the chromatographic surface of the detected alkane, S_{IS} is the chromatographic surface of the internal standard, Q_{Alkane} is the amount of the detected cuticular compound that needs to be quantified, and Q_{IS} is the known and fixed amount of the internal standard. The n- C_{21} - C_{40} alkane standard with known concentration was used for calculating RRF of each alkane. The extracted alkanes were also expressed as the percentage they represented within the total cuticle (see cuticle extraction method hereafter).

218 2.5 Total cuticle extraction

Litter cuticle was extracted using a fixed volume (1.5 ml) of the previous organic solvent 219 mixture (cyclohexane and chloroform, 70:30 volume). This volume was added to 1 g of partially 220 dried leaf litter. After full solvent evaporation using a Stuart concentrator SBHCONC/1 221 connected to a nitrogen flow, cuticle mass was gravimetrically calculated as the mass difference 222 between the vial containing the cuticle and the vial alone. Cuticle production was expressed in 223 $mg_{cuticle} g_{DM}^{-1}$ and relative cuticle production was expressed in percentage and calculated as 224 $[(100 \times \text{litter cuticle mass})/\text{litter dry mass}]$. Cuticle extraction was measured in 3 pseudo-225 replicates within each plot. 226

227 2.6 Leaf area and specific leaf area measurements

SLA (cm² g_{DM} ⁻¹) was calculated on 45 leaves within each plot. The one-sided surface area of all the leaves considered together was calculated with the computing program *WinSeedle*. SLA was calculated by dividing this total leaf litter area by the corresponding total dry mass (obtained by oven-drying for 72 h). Single leaf area was measured using the same program.

232 2.7 Statistical analysis

To test the effect of drought treatment on physico-chemical traits and flammability parameters 233 of leaf litter, we used Mann-Whitney tests. Two Principal Component Analysis (PCA) followed 234 by PERMANOVA tests were performed to check for differences between litter from natural 235 and aggravated recurrent drought in terms of flammability metrics on the one hand, and in terms 236 of physico-chemical variables on the other hand. Scores from the physico-chemical variables 237 PCA (x axis) were then correlated to scores from flammability metrics PCA (y axis) to evaluate 238 the relationship between these two dimensions. Pearson's correlations and Pearson matrices 239 were used to evaluate the association between physico-chemical traits and flammability 240 parameters after log transformation of the data. All statistical analyses were carried out using 241 the program *R* (*ade4* package for PCA). 242

243 **3 Results**

244 3.1. Litter physico-chemical traits under drought treatments

Alkanes extracted from epicuticle of Q. coccifera litter included pentacosane (C₂₅H₄₈), 245 hexacosane (C₂₆H₅₀), heptacosane (C₂₇H₅₂), octacosane (C₂₈H₅₄), nonacosane (C₂₉H₅₆), 246 triacontane ($C_{30}H_{58}$) and untriacontane ($C_{31}H_{60}$). The major alkane was C_{29} (573.0 ± 33.7 ng 247 DM^{-1}), followed by C₃₁ (240.4 ± 13.9 ng g_{DM}^{-1}) and C₂₇ (208.8 ± 19.7 ng g_{DM}^{-1}) (Fig. 2). 248 Concentrations of alkanes showed highly significant correlations (Table S1). Total 249 concentration of epicuticular alkanes in litter of Q. coccifera was 1189.4 \pm 68.0 µg g_{DM}⁻¹ 250 (representing 18.6 \pm 1 % of the cuticle mass) or 14.8 \pm 0.9 µg cm⁻² on average. It was 251 significantly higher (+ 50%) under aggravated drought (1458 μ g g_{DM}⁻¹) compared to natural 252 drought (920 µg g_{DM}⁻¹) (Fig.2h). This difference was due to C₂₅, C₂₈, C₂₉, C₃₀ and C₃₁ whose 253 concentration was significantly promoted under aggravated drought (Fig. 2a, d, e, f, g). 254



Fig. 2 Concentration (μ g g_{DM}⁻¹) of n-alkanes in litter epicuticle of *Q. coccifera* under natural (white) and aggravated (grey) drought. Differences between both treatments are tested with Mann-Whitney tests (w). The central line is the median, the edges of the box extent from 1st quartile to 3rd quartile (25-75 %) and the limits of the whiskers extent to the 1.5 interquartile range. Points indicate outliers. *: 0.01<*P*<0.05; ***: *P*<0.001; ns: not significant (n=10).

Among physical traits, cuticle production was on average $6.7 \pm 0.22 \text{ mg g}_{DM}^{-1}$ (or 82.2 $\pm 4.1 \,\mu \text{g cm}^{-2}$). Cuticle production was not significantly different between treatments (Fig. 3a). The average SLA value was $82 \pm 2.3 \text{ cm}^2 \text{g}_{DM}^{-1}$ with a marginal drop of SLA under aggravated drought (76 cm² g_{DM}⁻¹) compared to litter from natural drought (88.5 cm² g_{DM}⁻¹, Fig. 3b). This difference is associated to the smaller surface of leaf litter (-13 %) under aggravated drought compared to natural drought (Fig. 3c).



Fig. 3 Leaf litter physical traits under natural (white) and aggravated (grey) drought conditions. The central line is the median, the edges of the box extent from 1st quartile to 3rd quartile (25-75%) and the limits of the whiskers extent to the 1.5 interquartile range. Significant differences are tested with U-Mann-Whitney tests (w: value of the test). Points indicate outliers. (*): 0.05 < P < 0.10 (marginal significance); **: 0.001 < P < 0.01; ns: not significant (n=10).

273 3.2. Litter flammability: variability with drought and correlations with physico-chemical traits 274 Litter from the aggravated drought treatment exhibited a shorter ignition delay, longer flame 275 residence time and higher maximum flame height (Fig. 4a-c, P<0.05) compared to litter from 276 the natural drought treatment. No effect of drought treatment was detected for gross heat of 277 combustion (Fig. 4d).



278

Fig. 4 Leaf litter flammability when litter originates from natural (white) and aggravated (grey) drought conditions. The central line is the median, the edges of the box extent from 1st quartile to 3rd quartile (25-75 %) and the limits of the whiskers extent to the 1.5 interquartile range. Points indicate outliers. *: 0.01 < P < 0.05; **: 0.001 < P < 0.01 not significant (n=10).

Ignition delay and gross heat of combustion were the main flammability parameters that 283 correlated to litter physico-chemical traits (Table 1). Ignition delay correlated negatively with 284 all alkanes (excepting heptacosane content) (Table 1), indicating that alkane accumulation 285 shortened this delay. The best correlations (Fig. 5) occurred with pentacosane, hexacosane, 286 nonacosane, triacontane and the total alkane concentration. Gross heat of combustion rose with 287 increasing amounts of nonacosane, the major alkane found in leaf litter cuticle. The same result 288 was shown for octacosane, and to a lesser extent, hexacosane, nonacosane and total alkane 289 content. When alkanes were expressed as the percentage they represented in the cuticle, this 290 relative alkane concentration also correlated to gross heat of combustion although only 291 marginally (Table 1). By contrast, none of the studied flammability parameters was correlated 292 293 to cuticle production (Table 1). Flame residence time (or combustion duration) only increased significantly with heptacosane, one of the major alkanes (Fig. 5), although a marginal increase 294

- also occurred with pentacosane and triacontane (minor alkanes) (Table 1). Maximum flame
- height marginally correlated to triacontane content alone (Table 1).

297	Table 1 Correlation matrix between physico-chemical traits and flammability metrics showing
298	Pearson's correlation coefficient (r) and significance of their linear relationship. Data are log-
299	transformed to achieve a normal distribution.

Flammability parameter	Ignition delay (s) Flame Residence		Maximum flame	Gross heat of
		Time (s)	Height (cm)	combustion (KJ g_{DM}^{-1})
Physico-chemical trait				
Pentacosane ($\mu g g_{DM}^{-1}$)	-0.49*	0.41(*)	0.13	0.15
Hexacosane ($\mu g g_{DM}^{-1}$)	-0.50*	0.34	0.31	0.42(*)
Heptacosane ($\mu g.g_{DM}^{-1}$)	-0.26	0.44*	0.11	0.33
Octacosane ($\mu g g_{DM}^{-1}$)	-0.44(*)	0.35	0.27	0.49*
Nonacosane ($\mu g g_{DM}^{-1}$)	-0.49*	0.28	0.27	0.44(*)
Triacontane (μgg_{DM}^{-1})	-0.52*	0.39(*)	0.50*	0.40(*)
Untriacontane ($\mu g g_{DM}^{-1}$)	-0.39(*)	0.28	0.31	0.33
Total alkane production ($\mu g g_{DM}^{-1}$)	-0.48*	0.38(*)	0.28	0.44(*)
Relative alkane concentration (%)	-0.34(*)	0.30	0.35	0.43(*)
Cuticle production (mg g_{DM}^{-1})	-0.26	0.26	-0.07	-0.06
SLA $(\text{cm}^2 \text{g}_{\text{DM}}^{-1})$	0.05	-0.45*	-0.22	0.02
Leaf area (cm ²)	0.19	-0.45*	-0.24	-0.004

(*): 0.05<*P*<0.1; *: 0.01<*P*<0.05; ns: not significant (P>0.10); n=20.

Flammability parameters were explained through 2 axes, where PCA1 captured 56% of 303 the dataset variability and mainly explained differences in terms of ignition delay and maximal 304 flame height, while PCA2 covered 22 % of the data variability and was strongly explained by 305 heat of combustion and flame residence time. Flammability parameters were highly associated 306 (P < 0.001, Table S2, Fig. 6a) with a tight negative correlation between ignition delay and both, 307 flame residence time and maximum flame height (P < 0.001). These two later flammability 308 parameters were positively correlated, indicating that when flame sustainability increased 309 combustibility increased too. Gross heat of combustion was significantly correlated with 310 maximum flame height. 311



312

Fig. 5 Pearson correlations between physico-chemical traits (x axis) and flammability parameters using log-transformed data (y axis). Black and white points refer to natural and aggravated drought treatments respectively. Points represent the average \pm SE values (n=10). Shaded grey represents the prediction limits of the models. Only significant correlations (with P<0.05) from Table 1 are shown.

Multivariate analysis allowed to have an overall view of the differences between 318 aggravated drought and natural drought in terms of flammability (Fig. 6a) and, physico-319 chemical litter traits (epicuticular alkanes, SLA, leaf area, cuticle production) (Fig. 6b). Litter 320 from aggravated drought showed a shorter ignition delay, a longer flame height (PCA1) and a 321 longer flame residence time (PCA2) (Fig. 6a), higher alkane content, smaller leaf area, lower 322 SLA under aggravated drought. Previous non parametric tests revealed these differences were 323 significant. Scores from both PCAs were positively and linearly correlated (Fig. 7) indicating 324 that the differences in flammability were driven by litter physico-chemical traits. 325



326

Fig. 6. Principal Component Analysis showing differences between natural (•) and aggravated 327 drought (•) in terms of (a) leaf flammability metrics (maximal flame height and ignition delay 328 explain axis 1 and gross heat of combustion and flame residence explain axis 2) and, (b) 329 physico-chemical variables (most explanatory variables are alkanes from C₂₇ to C₃₁ and total 330 alkane content in axis 1 and SLA, leaf area and cuticle production in axis 2). Percentages refer 331 to variability explained by each axis. PERMANOVA tests (F) followed by ** denote the 332 significance of the differences between the treatments (**: 0.01< P <0.001). The axes scores of 333 each variable are provided in Table S3. 334



Fig. 7. Correlation between the axis scores resulting from the physico-chemical litter traits based-PCA (x axis) (obtained in Fig. 6a) and axis scores resulting from the leaf flammability based-PCA (y axis) (obtained in Fig. 6b).

339 4 Discussion

335

This study provides information about physico-chemical leaf litter changes during drought and their eventual influence on flammability, with novel information being related to alkane content.

343 4.1 Chemical and physical trait influence on leaf litter flammability

Most alkanes in litter cuticle of Q. coccifera presented an odd number of carbon atoms, as 344 commonly shown in other species (Diefendorf et al., 2015). Nonacosane (C₂₉) was the major 345 compound in accordance with the epicuticular alkane composition found in Q. ilex, Q. suber 346 and Q. calliprinos (Palestine oak) (Martins et al., 1999; Brosh et al., 2003; Norstrom et al., 347 2017). Wax concentration and coverage in leaves is extremely variable among species, from 348 0.4 (minimum wax coverage) to 160 μ g cm⁻² (maximum wax coverage) (Deininger, 2016). In 349 view of our results, alkane concentration in leaf litter of Q. coccifera (1189.4 μ g g_{DM}⁻¹ or 14.8 350 μ g cm⁻²) can thereby be considered a major alkane cover, in the range of those found in cuticles 351 of green leaves of other Mediterranean sclerophyllous species like Q. suber (18 μ g cm⁻²), Q. 352 *ilex* (7 μ g cm⁻²) (Martins et al., 1999) and *O. europaea* (8.5 μ g cm⁻²) (Huang et al., 2017), which 353

is well above the alkane concentration in conifer species (from dizaines to less than 900 μ g g_{DM}⁻¹ (Diefendorf et al., 2015).

Ignitability (through ignition delay) was the main litter flammability parameter 356 impacted by litter epicuticular alkane cover. This result suggests that fuels rich in such organic 357 metabolites could become more flammable in the presence of an ignition source since alkane 358 flash points are readily attained in the adjacent vegetation of a wildfire. It is important to note 359 that this relationship between ignitability and wax content was obtained using litter that 360 possessed a natural range of alkane concentrations and a low moisture content (~13 %) under 361 both drought conditions, which is close to the natural range of leaf litter moisture content in the 362 study site during summer (Larchevêque et al., 2005) when flammability of vegetation is the 363 364 highest. Fuel moisture content is one of the major internal factors determining fuel flammability and fire danger (e.g. Alessio et al., 2008; Pausas et al., 2015). Thus, during an aggravated 365 drought we would expect lower fuel moisture content and thus greater flammability would 366 probably exacerbate differences. 367

Based on the ignition delay of green leaves, Q. coccifera is considered a moderately 368 flammable species, alike other species with hard and waxy leaves (e.g. Cistus spp., Pistacia 369 lentiscus), compared to extremely flammable species (Eucalyptus) and highly flammable 370 species (e.g. Pinus spp., Q. ilex, O. europaea) and poorly flammable species (e.g. Juniperus 371 spp.) (Dimitrakopoulos and Papaioannou, 2001). Q. coccifera green leaves are also considered 372 moderately flammable according to its pyric properties (heat content, total and mineral ash 373 content, surface area-to-volume ratio and particle density) (Dimitrakopoulos, 2001). We did not 374 find any study having measured Q. coccifera flammability at the leaf scale but when 375 considering litter fuel beds, Curt et al. (2010) reported that dense Q. coccifera shrubs forms 376 litters of high bulk density with thick and tough leaves which entail a longer time to ignition 377 and thus low ignitability compared to other shrub species (*Erica* spp.). Our study indicates that 378

aggravated drought could imply a shift towards higher litter ignitability through increases of
 wax cover.

Our work also demonstrates a negative relationship between flame sustainability 381 (through flame residence time) and both, leaf area and SLA as previously shown (Scarff and 382 Westoby, 2006; Grootemaat et al., 2017; Ganteaume, 2018). Correlations with SLA 383 theoretically indicate that in denser and/or thicker leaf tissues (low SLA values) flame 384 sustainability is promoted. Leaf density and thickness were however not studied herein and we 385 can only explain that the lower SLA values (reached in aggravated drought conditions) were 386 associated with low leaf area, which has been suggested as the most important leaf trait in litter 387 flammability (Scarff and Westoby, 2006). Smaller leaves and so presumably shorter leaves may 388 compact leaf litter fuel thereby limiting the permeability of oxygen of the fuel bed and 389 eventually increasing flame residence time (Scarff and Westoby, 2006; de Magalhães and 390 Schwilk, 2012). This can explain why high ignitability (found under aggravated drought where 391 392 leaf area was smaller) was associated to samples that burned longer (Fig 4).

393 4.2. Understanding litter trait changes according to water deficit

394 The high epicuticular alkane concentration in leaf litter under aggravated drought was probably due to the combination of both, limited microbial activity under limited water conditions which 395 slows down the litter decomposing process (Ormeño et al., 2006; Santonja et al., 2015) and 396 plant history, although none of these points were checked in this study. When litter fall occurs, 397 some green leaf traits must be reflected in litter at least during the first stages of decomposition. 398 Epicuticular wax coverage in green leaves fulfills major biological functions in living plants 399 including water conservation (by preventing non-stomatal water loss), nutrient conservation 400 and limiting abiotic and biotic stress-related damage (Shepherd and Wynne Griffiths, 2006; 401 Barthlott et al., 2017). Thus, under water scarcity, wax accumulation in the leaf cuticle often 402 increases (Bacelar et al., 2012). Under aggravated and recurrent drought, Q. coccifera litter also 403

exhibited smaller leaves resulting in smaller SLA and so potentially thicker and/or denser 404 leaves. Such responses under aggravated drought (high leaf wax cover, small leaf area, low 405 SLA) are characteristic of sclerophyllous species (Gratani and Varone, 2006) and probably 406 allow Q. coccifera to maximize its fitness under scarce water conditions in fire-prone 407 ecosystems. Increasing wax load and reducing leaf area would limit evapotranspiration during 408 long-term drought while implying a higher fire hazard with minimal stand disturbance since 409 post-fire resprouting is the main recolonisation mechanism of Q. coccifera. This species 410 possesses the ability to regrow after burning by shoots from stocks and suckers from the roots 411 412 (Konstantinidisa et al., 2005).

413 4.3. Potential management and ecological implications of these findings

This study investigates the relationship between flammability and physical-chemical fuel 414 traits at a low hydric condition, with the main novel result being the positive influence of 415 vegetation waxes on flammability, never reported so far. Moreover, results highlight that 416 aggravated drought promotes both, ignitability (through accumulation of alkane waxes in 417 cuticle of leaf litter independently of litter water content) and flame sustainability (through the 418 concomitant reduction of leaf area and SLA). We speculate that such relationships could also 419 occur in green leaves of *Q. coccifera* where the higher water content in green leaves compared 420 to leaf litter could be compensated by the high shoot biomass and so the increasing wax content 421 at the stand scale. 422

It is worth noting that epiradiator tests do not pretend to mirror what occurs in the field. In fact, each measurement scale (leaf-scale, fuel bed scale, field burning) provides different information. Epiradiator tests do not integrate fuel structure but are an adequate approach to assess the importance of different leaf traits on some flammability metrics and the best choice for this study since each experimental plot possesses 16 m² surface and only litter from the central 4 m² was collected. Thus, important amounts of litter cannot be collected within each plot impeding the use of leaf litter beds to study flammability. Although burnings performed in the field provide better estimates of fire behavior in a given ecosystem, explaining the factors involved in fire behavior is a complex task due to the influence of multiple biotic factors under natural conditions. For example, in the study of Trabaud (1979) based on burnings of *Q. coccifera* in different plots in a garrigue in Southern France, the authors noted that *Q. coccifera* fire behavior and flammability was influenced by the high water content of grasses (co-existing with *Q. coccifera*), which was by far larger compared to woody species.

Scaling-up from laboratory to ecosystem measurements is a fundamental point in fire 436 ecology and one of the main challenging steps (Schwilk, 2015; Schwilk and Caprio, 2011; 437 Stevens et al., 2020). Numerous factors (fuel structure, load and mixtures among others) explain 438 fire behavior and hazard in the field. Considering that fire severity (amount of living material 439 consumed) provides a description of how fire intensity (level of heat) affects ecosystems 440 (Keeley, 2009), this study cannot directly provide such information since field experiments 441 were not conducted. We can nevertheless hypothesize that modification of fuel structure and 442 chemistry through modification of litter physical and chemical traits will govern both fire 443 intensity and severity (Belcher, 2016). Moreover, in the few studies that have used similar 444 species in laboratory and field experiments, field evidence supports lab results (Varner et al., 445 2015). Tumino et al. (2019) also demonstrated that some traits known to influence flammability 446 in the laboratory were associated to field-scale flammability metrics like fire severity. Likewise, 447 Ormeño et al. (2009) (using leaf litter) and Grootemaat et al. (2017) (using green leaves) show 448 that leaf traits influencing flammability of individual leaves continue to do so even when packed 449 in fuel beds. Stevens et al. (2020) have recently created a quantitative ranking of fire resistance 450 in North American conifer species across space based on plant traits, illustrating progress made 451 on scaling-up from plant functional traits to land-scale. 452

Based on these previous studies, we can thus arguably expect that changes and relationships 453 observed in our lab study could also occur in the field and that accordingly, Q. coccifera litter 454 flammability could increase in terms of ignitability and sustainability (burn longer) under the 455 aridity scenario predicted in the Mediterranean region. This hypothesis mainly relies on two 456 assumptions. First, under drier conditions litter water content is lowered and Q. coccifera 457 produces smaller leaves while maintaining litter production as recently shown (Rodriguez 458 Ramirez et al., 2017). Second, temperatures reached on soil surface during burnings of Q. 459 coccifera garrigues range between 250-400 °C (Trabaud 1979), well above the flash points of 460 alkane waxes reported in this study. Nonetheless, future research would be necessary to conduct 461 burns in plots submitted to natural and aggravated drought to test if plots from the later 462 treatment feature higher flammability as shown in this study. 463

Such hypothesized shift in litter *Q. coccifera* flammability might have limited negative consequences on *Q. coccifera* shrubland vulnerability to fire since increases of fire hazard would be compensated by the capacity of *Q. coccifera* to resprout after fire. Its dense underground structures (e.g. woody rhizome) provide a rich nutrient reservoir (Ferran et al., 2005), allowing *Q. coccifera* to be a pioneer species during vegetation regeneration in post-fire succession (Arnan et al., 2007).

Generalizing these results to fire prone ecosystems is still speculative but this study supports that the increase of climatic change-related drought could increase fuel flammability through decreases of fuel moisture content (Fares et al., 2017) and concentration increases of flammable leaf chemicals like waxes universally present in the plant kingdom. Such relationship is more likely to occur in sclerophyllous species since they allocate an important fraction of their resources to produce cuticular waxes.

476 Acknowledgements

We thank our colleagues from CEFE UMR 5175 (Montpellier, France) and from IMBE UMR 7263 (Marseille) for their contribution to the set-up of CLIMED site. We also greatly thank Caroline Lecareux for assistance during chemical analyses and Sylvie Dupouyet for assistance during field work. Many thanks to our colleagues from EMR team of IRSTEA (Aix-en-Provence, France) for allowing us to use their equipment for flammability and leaf area measurements. We are also grateful to Carmen Díez and María Luisa Cáceres from INIA for their contribution to gross heat content measurements.

484 Funding

This project was partially supported by Spanish R&D project VIS4FIRE (Integrated Vulnerability of Forest Systems to Wildfire: Implications on Forest Management Tools, RTA2017-00042-C05-01), co-funded by the EU through the FEDER program, and was possible thanks to financial contribution of the different laboratories for carrying out novel studies.

490 **References**

- Adams RP. 2007. Identification of essential oil components by gas chromatography/mass
 spectrometry. Allured publishing corporation Carol Stream, IL.
- Alessio GA, Peñuelas J, Lusia J, Ogaya R, Estiarte M, De Lillis M. 2008 Influence of water
 and terpenes on flammability in some dominant Mediterranean species. *International Journal of Wildland Fire* 17: 274–286. DOI: 10.1071/WF07038
- Arnan X, Anselm R, Retana J. 2007 Post-fire regeneration of Mediterranean plant
 communities at a regional scale is dependent on vegetation type and dryness. *Journal of Vegetation Science* 18: 111–122. DOI.org/10.1111/j.1654-1103.2007.tb02521.x
- Bacelar ELVA, Moutinho Pereira JM, Gonçalves BMC, Brito CVQ, Gomes-Laranjo J,
 Ferreira HM, Correia C. 2012 Water Use Strategies of Plants Under Drought Conditions.
 In: *Plant Responses to Drought Stress*. Aroca R, (Ed). Berlin, Germany-Springer: 145-170
- In: *Plant Responses to Drought Stress*. Aroca R, (Ed). Berlin, Germany-Springer: 145-170
 Barthlott W, Mail M, Bhushan B, Koch K. 2017 Plant Surfaces: structures and functions for
 biomimetic innovations. *Nano-Micro Letters* 9: 23. DOI:10.1007/s40820-016-0125-1
- Belcher CM. 2016. The influence of leaf morphology on litter flammability and its utility for
 interpreting palaeofire. Philosophical Transactions of the Royal Society B: Biological
 Sciences. 371, 20150163. DOI.org/10.1098/rstb.2015.0163
- Brosh A, Henkin Z, Rothman S, Aharoni Y, Orlov A, Arieli A. 2003. Effects of faecal n alkane recovery in estimates of diet composition. *The Journal of Agriculture Science* 140:
 93–100. DOI: 10.1017/S0021859602002757
- Curt T, Schaffhauser A, Borgniet L, Esteve R, Ganteaume A, Jappiot M, Lampin-Maillet
 C, Martin W, N'Diaye A. 2010 Litter flammability of French Mediterranean vegetation
 types: a cross-substratum analysis. VI International Conference on Forest Fire Research,
 Coimbra, Portugal. 10p.
- Resco de Dios V, Fellows AW, Nolan RH, Boe, MM, Bradstock RA, Domingo F, Goulden
 ML. 2015. A semi-mechanistic model for predicting the moisture content of fine litter.
 Agricultural and Forest Meteorology 203, 64-73.
 DOI.org/10.1016/j.agrformet.2015.01.002
- De Magalhães RMQ, Schwilk DW. 2012 Leaf traits and litter flammability: evidence for nonadditive mixture effects in a temperate forest. *Journal of Ecology* 100: 1153–1163.
 DOI.org/10.1111/j.1365-2745.2012.01987.x
- Deininger AC. 2016 Chemical and functional analyses of the plant cuticle as leaf transpiration
 barrier. PhD. Wurzburg-Germany, 201p
- Della Rocca G, Madrigal J, Marchi E, Michelozzi M, Moya B, Danti R. 2017 Relevance of
 terpenoids on flammability of Mediterranean species: an experimental approach at a low
 radiant heat flux. *iForest-Biogeosciences and Forestry* 10: 766–775.
 DOI:10.3832/ifor2327-010
- Diefendorf AF, Leslie AB, Wing SL. 2015 Leaf wax composition and carbon isotopes vary
 among major conifer groups. *Geochimica Cosmochimica Acta* 170: 45–156.
 DOI.org/10.1016/j.gca.2015.08.018
- Dimitrakopoulos AP. 2001 A statistical classification of Mediterranean species based on their
 flammability components. *International Journal of Wildland Fire* 10: 113–118. DOI:
 10.1071/WF01004
- Dimitrakopoulos AP, Papaioannou KK. 2001 Flammability assessment of Mediterranean
 forest fuels. *Fire Technology* 37: 143-152. DOI.org/10.1023/A:1011641601076
- D'Odorico P, Porporato A, Wilkinson Runyan C. 2019. Dryland Ecohydrology. Springer
 International Publishing, Cham. DOI.org/10.1007/978-3-030-23269-6
- 537 Fares S, Bajocco S, Salvati L, Camarretta N, Dupuy JL, Xanthopoulos G, Guijarro M,
- 538 Madrigal J, Hernando C, Corona P. 2017 Characterizing potential wildland fire fuel in

- live vegetation in the Mediterranean region. *Annals of Forest Science* 74: 1–14. DOI:
 10.1007/s13595-016-0599-5
- Ferran A, Delitti W, Vallejo VR. 2005 Effects of fire recurrence in *Quercus coccifera* L.
 shrublands of the Valencia region (Spain). II. *Plant and Soil Nutrients* 177: 71-83. DOI 10.1007/s11258-005-2141-y.
- Ganteaume A. 2018 Does plant flammability differ between leaf and litter bed scale? Role of
 fuel characteristics and consequences for flammability assessment. *International Journal of Wildland Fire* 27: 342-352. DOI: 10.1071/WF17001
- Gratani L, Varone L. 2006 Long-time variations in leaf mass and area of Mediterranean
 evergreen broad-leaf and narrow-leaf maquis species. *Photosynthetica* 44: 161–168.
 DOI.org/10.1007/s11099-006-0001-1
- Grootemaat S, Wright IJ, van Bodegom PM, Cornelissen JHC. 2017 Scaling up
 flammability from individual leaves to fuel beds. *Oikos* 126: 1428–1438.
 DOI.org/10.1111/oik.03886
- Heredia A, Dominguez E. 2009 The Plant Cuticle: A Complex Lipid Barrier Between the Plant
 and the Environment. An Overview. In: Dishovsky C, Pivovarov A, eds. Counteraction to
 Chemical and Biological Terrorism in East European Countries. Netherlands, Springer
 109–116
- Huang H, Burghardt M, Schuster AC, Leide J, Lara I, Riederer M. 2017 Chemical
 Composition and water permeability of fruit and leaf cuticles of *Olea europaea* L. *Journal of Agriculture and Food Chemistry* 65: 8790–8797. DOI 10.1021/acs.jafc.7b03049
- Keeley JE, 2009 Fire intensity, fire severity and burn severity: a brief review and suggested
 usage. *International Journal of Wildland Fire* 18: 116-136. DOI.org/10.1071/WF07049
- Konstantinidisa P, Tsiourlisa G, Galatsidasb S. 2005 Effects of wildfire season on the
 resprouting of kermes oak *Quercus coccifera* L. *Forest Ecology and Management* 208: 15 27. DOI:10.1016/j.foreco.2004.09.021
- Kosma DK, Bourdenx B, Bernard A, Parsons EP, Lu S, Joubes J, Jenks MA. 2009 The
 impact of water deficiency on leaf cuticle lipids of Arabidopsis. *Plant Physiology* 151:
 1918–1929. DOI.org/10.1104/pp.109.141911
- Lampin-Maillet C, Jappiot M, Long M, Bouillon C, Morge D, Ferrier JP. 2010 Mapping
 wildland-urban interfaces at large scales integrating housing density and vegetation
 aggregation for fire prevention in the South of France. Journal of Environmental
 Management 91: 732–741. DOI.org/10.1016/j.jenvman.2009.10.001
- Larchevêque M, Baldy V, Korboulewsky N, Ormeño E, Fernandez C. 2005 Compost effect
 on bacterial and fungal colonization of kermes oak leaf litter in a terrestrial Mediterranean
 ecosystem. *Applied Soil Ecoly* 30: 79–89. DOI.org/10.1016/j.apsoil.2005.02.010.
- Le Houérou HN. 1973 Fire and vegetation in the Mediterranean Basin. In, *Proceedings annual tall timber fire ecology conference*. Tall timbers Research Station Tallahasse-Florida. 13:
 237–277
- Madrigal J, Guijarro M, Hernando C, Diez C, Marino E. 2011 Effective heat of combustion
 for flaming combustion of Mediterranean forest fuels. *Fire Technology* 47: 461–474.
 DOI.org/10.1007/s10694-010-0165-x
- Martins CMC, Mesquita SMM, Vaz WLC. 1999 Cuticular waxes of the Holm *Quercus ilex* L. subsp. ballota Desf. Samp. and cork *Q. suber* L. oaks. *Phytochemical Analysis* 10: 1–5.
 DOI:10.1002/(sici)1099-1565(199901/02)10:1<1::aid-pca420>3.0.co;2-j
- Moriondo M, Good P, Durão R, Bindi M, Giannakopoulos C, Corte-Real J. 2006 Potential
 impact of climate change on fire risk in the Mediterranean area. *Climate Research* 31: 85–
 95. DOI: 10.3354/cr031085
- Norstrom E, Katrantsiotis C, Smittenberg RH, Kouli K. 2017. Chemotaxonomy in some
 Mediterranean plants and implications for fossil biomarker records. *Geochimica et*

- 589 *Cosmochimica Acta* 219: 96–110. DOI.org/10.1016/j.gca.2017.09.029
- Ormeño E, Baldy V, Ballini C, Larchevêque M, Périssol C, Fernandez C., 2006. Effects of
 environmental factors and leaf chemistry on leaf litter colonization by fungi in a
 Mediterranean shrubland. *Pedobiologia* 1–10. DOI : 10.1016/j.pedobi.2005.07.005
- Ormeño E, Céspedes B, Sánchez IA, Velasco-García A, Moreno JM, Fernandez C, Baldy
 V. 2009 The relationship between terpenes and flammability of leaf litter. *Forest Ecology and Management* 257: 471–482. DOI.org/10.1016/j.foreco.2008.09.019
- Pausas JG, Alessio GA, Moreira, B, Segarra-Moragues JG. 2015. Secondary compounds
 enhance flammability in a Mediterranean plant. *Oecologia* 180: 103–110. DOI:
 10.1007/s00442-015-3454-8
- Pimont F, Dupuy JL, Rigolot E. 2018 A simple model for shrub-strata-fuel dynamics in
 Quercus coccifera L. communities. *Annals of Forest Science* 75, 44.
 DOI.org/10.1007/s13595-018-0713-y.
- Plucinski MP, Anderson WR. 2008. Laboratory determination of factors influencing
 successful point ignition in the litter layer of shrubland vegetation. *International Journal of Wildland Fire* 17, 628. DOI.org/10.1071/WF07046
- Rodriguez Ramirez N, Santonja M, Baldy V, Ballini C, Montès N. 2017. Shrub species
 richness decreases negative impacts of drought in a Mediterranean ecosystem. *Journal of Vegetation Science* 28: 985–996. DOI.org/10.1111/jvs.12558
- Santonja M, Fernandez C, Gauquelin T, Baldy V. 2015. Climate change effects on litter
 decomposition: intensive drought leads to a strong decrease of litter mixture interactions.
 Plant Soil 393: 69–82. DOI: 10.1007/s11104-015-2471-z
- Santonja M, Milcu A, Fromin N, Rancon A, Shihan A, Fernandez C, Baldy V,
 Hattenschwiler S. 2019 Temporal Shifts in Plant Diversity Effects on Carbon and Nitrogen
 Dynamics During Litter Decomposition in a Mediterranean Shrubland Exposed to Reduced
 Precipitation. *Ecosystems* 22: 939–954. DOI.org/10.1007/s10021-018-0315-4
- 615 **Scarff FR, Westoby M. 2006**. Leaf litter flammability in some semi-arid Australian 616 woodlands. *Functional Ecology* 20: 745–752. DOI: 10.1111/j.1365-2435.2006.01174.x
- Schwilk DW, Caprio AC. 2011. Scaling from leaf traits to fire behaviour: community
 composition predicts fire severity in a temperate forest: Leaf length and fire behaviour.
 Journal of Ecology 99: 970–980. DOI.org/10.1111/j.1365-2745.2011.01828.x
- Schwilk DW. 2015. Dimensions of plant flammability. New Phytologist 206: 486–488.
 DOI.org/10.1111/nph.13372
- Shepherd T, Wynne Griffiths D. 2006. The effects of stress on plant cuticular waxes. *New Phytologist* 171: 469–99. DOI: 10.1111/j.1469-8137.2006.01826.x
- Stevens JT, Kling MM, Schwilk DW, Varner JM, Kane JM. 2020. Biogeography of fire
 regimes in western U.S. conifer forests: A trait-based approach. Global Ecology and
 Biogeography 29: 944–955. DOI.org/10.1111/geb.13079
- Trabaud L. 1979. Etude du comportement du feu dans la Garrigue de Chêne kermès à partir
 des températures et des vitesses de propagation. *Annales des Sciences Forestières* 36: 13–
 38. DOI: 10.1051/forest/19790102
- Tumino BJ, Duff TJ, Goodger JQD, Cawson JG. 2019 Plant traits linked to field-scale
 flammability metrics in prescribed burns in *Eucalyptus* forest. *PLOS ONE* 14, e0221403.
 DOI.org/10.1371/journal.pone.0221403
- Turco M, Rosa-Cánovas JJ, Bedia J, Jerez S, Montávez J.P, Llasat MC, Provenzale A.
 2018 Exacerbated fires in Mediterranean Europe due to anthropogenic warming projected
 with non-stationary climate-fire models. *Nature Communications* 9: 3821.
 DOI.org/10.1038/s41467-018-06358-z
- Varner JM, Kane JM, Kreye JK, Engber E. 2015 The flammability of forest and woodland
 litter: a synthesis. *Current Forestry Reports* 1: 91–99. DOI.org/10.1007/s40725-015-

639 0012-x

- Whelan RJ. 1995. The Ecology of Fire. Cambridge Studies in Ecology, Cambridge University
 Press, Cambridge. New York: USA. 346p
- Kue D, Zhang X, Lu X, Chen G, Chen ZH. 2017 Molecular and Evolutionary Mechanisms
- of Cuticular Wax for Plant Drought Tolerance. *Frontiers in Plant Science* 8: 4-28. DOI:
 10.3389/fpls.2017.00621