

Sub-ppb mercury detection in real environmental samples with an improved Rhodamine-based detection system

Sukhdev Singh, Bruno Coulomb, Jean-Luc Boudenne, Damien Bonne, Frédéric Dumur, Bertrand Simon, F. Robert-Peillard

▶ To cite this version:

Sukhdev Singh, Bruno Coulomb, Jean-Luc Boudenne, Damien Bonne, Frédéric Dumur, et al.. Sub-ppb mercury detection in real environmental samples with an improved Rhodamine-based detection system. Talanta, 2021, pp.121909. 10.1016/j.talanta.2020.121909 . hal-03026250

HAL Id: hal-03026250 https://amu.hal.science/hal-03026250

Submitted on 26 Nov 2020 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	Sub-ppb mercury detection in real environmental samples with an		
2	improved Rhodamine-based detection system		
3 4	Sukhdev Singh ² , Bruno Coulomb ¹ , Jean-Luc Boudenne ¹ , Damien Bonne ² , Frédéric Dumur ³ , Bertrand Simon ⁴ , Fabien Robert-Peillard ¹ *		
5	¹ Aix Marseille Univ, CNRS, LCE, Marseille, France		
6	² Aix Marseille Université, CNRS, Centrale Marseille, iSm2, Marseille, France		
7	³ Aix Marseille Univ, CNRS, ICR, UMR 7273, F-13397 Marseille France		
8 9	⁴ Institut d'Optique & CNRS, Laboratoire Photonique Numérique et Nanoscience, UMR 5298, Talence, France		
10			
11	*Corresponding author: fabien.robert-peillard@univ-amu.fr		

12

13 Abstract

A new procedure is described for the determination of Hg^{2+} ions in water samples. A 14 Rhodamine based fluorescent sensor was synthesized and the experimental conditions were 15 specifically optimized for application to environmental samples, which requires low detection 16 17 limits and high selectivity in competitive experiments with realistic concentrations of other metal ions. Incorporation of a Rhodamine-6G fluorophore to a previously described sensor and 18 optimization of the buffer system (detection with acetic acid at pH 5.25) enabled significant 19 enhancement of the sensitivity (detection limit = $0.27 \ \mu g.L^{-1}$) and selectivity. The optimized 20 procedure using high-throughput microplates has been applied to tap and river waters with good 21 22 results.

23 Keywords: Fluorescent sensor; Mercury ion; Rhodamine derivative; Water analysis.

24

25 **1. Introduction**

Mercury is one of the most toxic metals found in the environment, with well-known deleterious
effects on kidneys, liver and the central nervous system which leads to various cognitive and

motor disorders [1,2]. Among mercury species, the Hg²⁺ ion has been extensively studied because it can be biomethylated into methyl mercury in the environment [3]. Conventional methods for analysis of mercury in laboratories include cold vapor atomic absorption spectroscopy and inductively coupled plasma mass spectrometry, which are either expensive or complex analytical techniques. Methods based on fluorescent sensors have gained considerable attention in the past years, due to the simplicity of the operations combined to high selectivity and sensitivity of the designed sensors.

Fluorescent sensors based on organic dyes are particularly suited for the analysis of Hg^{2+} ion and other cations [4-6]. This type of sensor includes an ion recognition unit (ionophore) which triggers modification of the fluorescence features of an organic fluorophore. Among these fluorophores, the rhodamine framework has appeared as the ideal choice, due to the high fluorescence quantum yields obtained by the spirolactam cycle opening and the ease of structural modification for the ionophore part. Consequently, several Rhodamine-based molecular sensors for Hg^{2+} have been described in the literature [7].

However, most of these sensors have not convincingly demonstrated their capacities to be 42 applied to the analysis of real environmental waters (tap water, natural waters). To fulfill 43 requirements for these types of analysis, the sensor has to: i) detect mercury in aqueous media; 44 ii) reach high sensitivity with quantification limits below the $\mu g.L^{-1}$ range (the parametric value 45 for the quality of water intended for human consumption in Europe is $1 \mu g.L^{-1}$ and the maximal 46 allowable concentration in inland waters has been established to 0.05 µg.L⁻¹ by European 47 Union); iii) prove the selectivity for Hg^{2+} in the presence of very large excess of some other 48 naturally occurring ions (especially Ca^{2+} or Cu^{2+}). Regarding application to aqueous sample, 49 rhodamine-based sensors displaying interesting analytical features only in organic or mixed 50 organic-aqueous media will not be efficient [8,9]. Likewise, many sensors have detection limits 51 which are either not indicated or in the 10^{-8} - 10^{-6} M range (2-200 µg.L⁻¹) [10-12], which is not 52

enough sensitive for real samples like tap water or natural waters. Selectivity for Hg²⁺ is almost 53 always demonstrated by competitive experiments with 1-10 equivalents of other metal ions 54 compared to mercury [10, 12-16], which is not representative of real environmental samples. 55 Application of Rhodamine fluorescent sensors is thus generally limited to the fluorescence 56 imaging of Hg^{2+} in cells. Only one application to real water samples has been documented by 57 Pan et al. with the determination of Hg^{2+} in industrial wastewaters in the μ M range (150-250 58 μ g.L⁻¹) [17]. Description of a rhodamine sensor designed for tap or natural water analysis is 59 thus highly needed. 60

Among rhodamine sensors, NS₂ ionophore described by Huang et al. [15] seemed particularly 61 suited for aqueous application with high selectivity for Hg^{2+} . In the present study we 62 synthesized the rhodamine B sensor (sensor S2, Fig. 1) described by Huang et al. [15]. 63 However, the first experiments using their experimental conditions led us to conclude that the 64 65 sensitivity seemed too low for application to environmental water samples. We thus decided to modify that sensor by incorporation of a rhodamine-6G fluorophore group (sensor S1) and to 66 investigate analytical parameters in order to reach low µg.L⁻¹ detection limit for application to 67 real water samples. Experiments were performed in microplates to take advantage of the high-68 throughput screening properties of this type of analytical tool, ideal for optimization purposes. 69 70 Results of these optimizations are reported in this work.

71

72 **2. Material and methods**

73

74 2.1.Chemicals and reagents

Rhodamine-6G (Dye content: 95%), HEPES (4-(2-Hydroxyethyl)piperazine-1-ethanesulfonic
acid), MOPS (3-(N-Morpholino)propanesulfonic acid) and acetic acid were purchased from

57 Sigma-Aldrich (France). Ultrapure water purified with a Milli-Q system (Millipore, USA, 78 resistivity >18 M Ω cm) was used for the preparations of the whole solutions.

A 1 mg.L⁻¹ Hg²⁺ stock solution was prepared daily in a glass vial [18] by dilution of a 1 g.L⁻¹
standard solution (AAS grade, Sigma Aldrich) with ultrapure water and a few drops of NaOH
0.1 M solution to set pH of the stock solution between 3.5-4. The same protocol was applied
for the other heavy metal stock solutions used for the selectivity study.

5 mM stock solutions of sensors were prepared in DMSO and stored at $+4^{\circ}$ C (stable for at least 2 months). The stock solution was then diluted in ultrapure water to give a 5 μ M working solution (1 ‰ DMSO), which was stable for at least 2 weeks in the fridge.

The tap water sample was collected in the laboratory (Marseille, France). River water samples were collected from the Huveaune (River 1: Roquevaire, France; River 2: Aubagne, France) and the Arc (River 3: Ventabren, France), filtered on 0.45 µm PES filters and stored at +4° C until analysis. pH of the spiked samples was set between 5.2 and 5.3 with diluted HNO₃ to avoid pH variation after addition of acetic acid buffer.

91

92 2.2.Synthesis of sensor S1 and S2

The sensors **S1** was synthesized by a simple modified procedure starting from rhodamine-6G base (**1**) (Scheme 1, see supporting information for detailed procedure). The rhodamine-6G base **1** was reacted with ionophore **NS2** in the presence of 4-toluenesulfonyl chloride (TsCl) and 4-dimethylaminopyridine (DMAP) in dry dichloromethane at room temperature for 4 h and sensor **S1** was obtained in 47% yield as a light pink/beige color solid. ¹H NMR (400 MHz, CDCl₃) δ 8.05-8.00 (m, 1H), 7.62-7.55 (m, 3H), 7.27-7.22 (m, 1H), 7.14 (td, 1H, *J* = 7.6 Hz, 1.4 Hz), 6.84 (td, *J* = 7.7 Hz, 1.7 Hz), 6.34 (d, 2H, *J* = 5.4 Hz), 6.21 (s, 1H), 6.10 (s, 1H), 5.94 100 (dd, 1H, J = 8.0 Hz, 1.4 Hz), 3.53 and 3.45 (2 x s, 2H), 3.34 (d, 1H, J = 15.8 Hz), 3.23-3.03 (m, 101 4H), 2.62 (d, 1H, J = 15.7 Hz), 2.48-2.31 (m, 10H), 2.29-2.19 (m, 2H), 1.96 and 1.93 (2 x s, 102 6H), 1.33-1.22 (m, 6H), 1.15 (t, 6H, J = 7.4 Hz). ¹³C NMR (100 MHz, CDCl₃) δ 166.09, 153.49, 103 152.93, 151.54, 147.81, 139.80, 133.86, 132.88, 132.80, 129.75, 128.80, 128.70, 128.62, 104 128.18, 128.12, 126.48, 124.73, 123.61, 120.96, 118.12, 117.19, 108.45, 107.22, 96.88, 96.67, 105 68.54, 54.52, 54.43, 38.61, 38.49, 30.11, 27.13, 26.22, 17.19, 17.02, 15.01, 14.86. HRMS (EI): 106 Calculated for C₄₁H₅₁N₄O₂S₂ [M+H]⁺ 695.3448; found: 695.3445.

Sensor S2 was also synthesized using similar procedure as adopted for sensor S1 starting with rhodamine-base B (2) and ionophore NS2. With this method, sensor S2 was obtained as a beige color solid with improved 65% yield as compared to previously reported yield of 26% [15] (see supplementary data for detailed procedure and NMR data).

111

112 2.3. Instrumentation

Fluorescence spectra of sensor S1 and sensor S2 were recorded on a SAFAS Xenius 113 spectrofluorometer (Monaco) equipped with a Xenon lamp and controlled by SP2000 V7 114 software (SAFAS). Microplate fluorescence measurements were carried out on a microplate 115 reader (Infinite M200, Tecan France SAS, Lyon, France) equipped with an excitation and 116 117 emission double monochromator (bandwidths of 9 nm and 20 nm for excitation and emission monochromator, respectively) and controlled by i-controlTM software (Tecan). Fluorescence 118 detection was performed from above the microplate wells (top configuration), at $\lambda ex = 540$ nm 119 120 and $\lambda em = 575$ nm. Operating temperature was set to 25 °C. Other parameters were as follows: gain: 180; number of flashes: 50; integration time: 20 us. Fluorescence intensities were 121 expressed in arbitrary units (a.u.). Polypropylene black 96 well U-bottom microplates (Nunc), 122 123 with a maximum capacity of 500 µL for each well were used.

124 2.4. General microplate procedure

300 μL of sample or Hg²⁺ standard solution were dispensed into the wells of the microplate,
followed by 50 μL of the buffer solution and 30 μL of the 5 μM working solution of sensor S1.
The plate was shaken for 3 min in the microplate reader, and fluorescence was subsequently
measured at λ_{ex} = 540 nm and λ_{em} = 575 nm. All experiments were performed in duplicate. *3.* Results and discussion.
3.1. Optimization of experimental conditions
3.1.1. Fluorescence response of S1 and S2 at pH 7

The publication from Huang et al. [15] studying S2 used HEPES buffer at pH 7 (with 15% 133 MeCN). Our first experiments with S1 and S2 displayed a negative influence of MeCN on the 134 135 fluorescent response, so we decided to compare the response of the sensors only in pure aqueous solution. Our analytical protocol used a large volume of sample and addition of a small volume 136 of buffer and sensor, to optimize the analytical performances of the protocol. Standard solutions 137 of 1 mg.L⁻¹ Hg²⁺ were neutralized at pH around 4 (starting from stock solution in 5% HNO₃) in 138 order to avoid variation of pH between blank and standard solutions. Fluorescence emission 139 spectra recorded on a traditional spectrofluorometer are displayed on Figure 2. As expected, 140 emission wavelength (565 nm) for S1 with Rhodamine-6G base is lower than S2 (595 nm) with 141 Rhodamine B base [10]. S1 also already showed superior performances at low concentrations, 142 with a fluorescence response at 10 μ g.L⁻¹ much better than **S2** (see inset of Fig. 2). We thus 143 decided to focus on the new sensor with Rhodamine-6G for the optimization of the experimental 144 conditions. 145

146

3.1.2. Influence of the pH buffer

Most publications study the fluorescence response of the sensors at high concentrations of the 147 metal cation targeted $(1-10 \,\mu\text{M} = 200-2000 \,\mu\text{g.L}^{-1})$. Our aim was to develop a simple microplate 148 protocol that could be used at low mercury concentrations more consistent with environmental 149 conditions (linear range up to $10 \,\mu g.L^{-1}$, detection limit below $1 \,\mu g.L^{-1}$), so we first studied the 150 influence of the pH on 10 μ g.L⁻¹ and 2 μ g.L⁻¹ standard solutions. High-throughput microplates 151 and a microplate reader were used for all the optimization tests. Results for various pH are 152 presented on Figure 3 (MOPS was used at pH 7 with similar results as HEPES, with better 153 buffer capacity for MOPS than HEPES at pH 7). Interestingly, evolution of the fluorescence 154 response of the sensor is completely different at pH 5.25 compared to pH 7. While ratio between 155 fluorescence response of a 10 μ g.L⁻¹ and a blank solution is much better at pH 7, results are 156 completely opposite for the 2 µg.L⁻¹ standard solution. In fact, only slightly acidic conditions 157 (pH 5-5.5) can enable actual detection of standard solution of Hg²⁺ below 2 μ g.L⁻¹ with **S1**. 158 Buffers with pH below 5 displayed lower response with both standard solutions. 159

160

3.1.3. Influence of the sensor concentration

161 While better results with low concentration of sensor could be anticipated to improve sensitivity 162 and detection limit [10], our experiments with **S1** did not display a sharp effect when sensor 163 concentration was lowered (Fig. 4). Results were similar in the range 0.5-5 μ M but choosing a 164 too low sensor concentration to optimize detection limit could be detrimental for selectivity in 165 presence of other metal cations and both analytical aspects have to be taken into account when 166 one optimize a protocol for application to real environmental samples. We thus decided to keep 167 5 μ M as the optimal concentration value for the rest of the study.

168

3.1.4. Characterization of the complex between S1 and Hg^{2+}

Regarding stoichiometry of the complex between S1 and Hg²⁺, the Job's Plot depicted in Figure
S1 (for sensor S1 at pH 5.25) proved the same 1:1 stoichiometry as sensor S2 at pH 7 [15]. This

was also confirmed by ES(+)-HRMS of a mixture of S1 and Hg^{2+} (Fig. S9, supplementary data), 171 with a peak at 931.3174 assigned to the single-charged complex $[S1 + Hg^{2+} + Cl^{-}]^{+}$. To further 172 confirm the coordination of Sensor S1 with Hg²⁺, ¹H-NMR experiments were done. As shown 173 in Figure S10 (supplementary data), the triplet peaks centered at $\delta 1.20$ corresponding to methyl 174 groups (1 and 1'), shifted downfield to $\delta 1.41$ ($\Delta \delta = 0.21$ ppm) upon addition of 1 equiv of Hg²⁺ 175 to the sensor S1. This shift was attributed to the coordination of sulphur "S" with Hg^{2+} . 176 Moreover, the quartets and triplets associated with protons 2, 2', 3 and 3 also shifted to the 177 downfield region of the spectra. The triplets due to the methylene groups attached nitrogen of 178 ionophore part (4 and 4') also shown the shifts towards downfield region of the spectra which 179 indicated the involvement of "N" in coordination with Hg²⁺. The aromatic protons of 180 rhodamine, specially H₆, H₆[,], H₇ and H₇[,] also shown the clear changes in their chemical shifts 181 due to the shifting of the aromatic bonds (delocalization) that trigger opening of spirolactone 182 upon complexation with Hg²⁺. Based on combined results of NMR and HRMS analysis, we 183 could propose the mode of coordination of sensor S1 with Hg^{2+} as described in scheme S5 184 (supplementary data) where both sulphur "S" and "N" of ionophore part, and "O" of carbonyl 185 are involved in the interaction with Hg^{2+} . 186

187

188

189

3.2. Analytical performances of sensor **S1**

3.2.1. Comparison of the detection limit of S1 and S2

190 Detection limits for **S1** and **S2** (calculated as $3\sigma_b/s$; σ_b is the standard deviation of the blank 191 signals with n=10, and s the slope of the calibration curve) were compared for various 192 experimental conditions (Table 1). The first tests were carried out following the conditions 193 described by Huang et al. for **S2** (with 15% acetonitrile). In our experiments, acetonitrile was 194 not necessary for solubility purposes using the sensor concentration described (25 µL of a 5 µM

sensor solution, corresponding to 0.33 µM in the mixture with sample and buffer; Solutions of 195 196 S1 at 5 µM are stable in the fridge at least for 2 weeks after dilution of a 5 mM stock solution in DMSO). At pH 7.1 and 5.25, sensor S1 could detect mercury at concentrations 3.5 times 197 lower than S2, proving that rhodamine-6G base is better than rhodamine B for this type of 198 sensor (Table 1). To the best of our knowledge, this study is the first report which compares the 199 influence of the rhodamine fluorophore (with the same ionophore) on the sensitivity of a sensor. 200 An excellent detection limit of 0.3 μ g.L⁻¹ (1.5 nM) could be obtained with acetic acid buffer, 201 202 proving high sensitivity of the new sensor with the optimized experimental parameters. Overall, detection limits using this type of rhodamine sensor have been improved 175 times compared 203 204 to conditions described before using S2.

Experimental conditions	S1	S2
MeCN/HEPES 20 mM pH 7 (15/85) ^a	19 μg.L ⁻¹	53 μg.L ⁻¹
MOPS 50 mM pH 7.1 ^b	2.0 µg.L ⁻¹	7.1 μg.L ⁻¹
Acetic acid 50 mM pH 5.25 ^b	0.27 μg.L ⁻¹	1.1 μg.L ⁻¹

205 a. In the final mixture; b. Buffer added to the sample (50 μ L buffer for 300 μ L sample).

Table 1. Detection limits obtained with **S1** and **S2** using different conditions with the microplate protocol. Detection wavelengths for S1: λ exc = 535 nm; λ em = 570 nm; for S2: λ exc = 540 nm; λ em = 595 nm.

209

3.2.2. Analytical features for sensor **S1**

The analytical procedure with sensor **S1** was evaluated using the optimized experimental conditions (Table 2). Very good linear regression coefficient was obtained in the range 0.9-20 μ g.L⁻¹ (Fig S2), with excellent RSD value proving repeatability of our measurements. The limit of quantification is below 1 μ g.L⁻¹, which is the parametric value for the quality of water

intended for human consumption in Europe [19]. The protocol can thus be implemented for this 214 215 kind of samples regarding the European legislation.

Limit of detection (µg.L ⁻¹)	0.27	
Limit of quantification (µg.L ⁻¹)	0.92	
Linear working range (µg.L ⁻¹)	0.9-20	
R ²	0.997	
RSD (%) ^a	2.9	

216

a. Calculated on a 5 μ g.L⁻¹ standard, n= 6 replicates

Table 2. Analytical features of the microplate protocol with S1. Buffer: Acetic acid 50 mM pH 217 5.25. 218

219

3.2.3. Selectivity study

Selectivity of a sensor for a metal ion is crucial for application to real samples. This is 220 particularly important for mercury ion in environmental samples, with mercury concentration 221 in the nM range, while other metal ions could be present up to a few tens of μ M (Cu²⁺, Zn²⁺) or 222 in the mM range (Ca^{2+} , Mg^{2+}). Most publications describe their selectivity study with μM 223 concentration of Hg^{2+} and 10 equivalents of other metal ion, which are experimental hypothesis 224 clearly not suitable for environmental samples. For this study, we chose Hg^{2+} at 5 µg.L⁻¹ (25 225 nM) in order to obtain a significant response with good repeatability. Concentrations of other 226 227 metal ions were chosen based on parametric values defined by the European legislation on water intended for human consumption (Cu^{2+} , Pb^{2+} , Cd^{2+}). For metal ions not listed in this legislation, 228 we chose high concentrations that should not be exceeded in a surface water (Ca^{2+} , Mg^{2+} , Zn^{2+}). 229 Response was studied first with each metal ion separately and then under competitive 230 conditions with mercury ion at $5 \mu g.L^{-1}$ (Fig. 5). We also compared our optimized experimental 231

conditions (acetic acid buffer pH 5.25, Fig. 5A) with usual conditions used for this type of 232 233 sensor (buffer at pH 7, Fig. 5B). The tolerance limit was \pm 5% change between the fluorescence of Hg²⁺ alone and the fluorescence in presence of interfering ions at the maximal concentration 234 chosen. Results display excellent selectivity of sensor S1, even in competitive experiments with 235 other metal ions in real environmental concentrations (the tolerance limit was not exceeded for 236 all metal ions studied). Interestingly for our study, the same experiment at neutral pH 237 (conditions described by previous group studying sensor S2) gives strong interference of copper 238 ions, completely inhibiting response of sensor S1 with mercury ions. The same results were 239 found with HEPES buffer. pH is thus an important parameter in our procedure to avoid 240 241 interference from copper ions. Study from Huang et al. with sensor S2 did not exhibit this interference from copper at pH 7, probably because copper was only five times in excess 242 compared to mercury [15]. We can thus conclude that using realistic metal ions concentrations 243 is clearly necessary to study selectivity and optimize analytical conditions of a new sensor for 244 real life application, especially in the environmental field. 245

246

3.2.4. Comparison with other rhodamine sensors

Sensors for mercury detection can be based on rhodamine, fluorescein, coumarin or dansyl organic dyes [5]. Among them, rhodamine sensors gives the best analytical performances, and we thus decided to compare our sensor **S1** with other rhodamine sensors described for applications in aqueous media (Table 3). From this comparison, we can conclude that sensor **S1** is the only sensor for which sensitivity and selectivity have been demonstrated for application to real natural water samples.

253

Ref	LOD (µg.L-1)	Selectivity
17	4.6	Demonstrated with 1 eq of interferent ions
20	14.8	Interference of Fe ³⁺ , others demonstrated with 5 eq of interferents ions
21	136	Demonstrated with 30 eq of interferent ions
12	470	Demonstrated with 1 eq of interferent ions
13	0.5	Interference of Zn ²⁺ , others demonstrated with 5 eq of interferents ions
16	0.3	Demonstrated with 1 eq of interferent ions
10	0.6	Demonstrated with 5 eq of interferent ions
This work	0.27	Demonstrated with concentration of interferent ions relevant with the analysis of natural water samples (up to 1000 eq for Cu^{2+} and 200.000 eq for Ca^{2+})

Table 3. Comparative study of rhodamine-based sensor for Hg^{2+} analysis in aqueous media.

256

257 3.3. Test with real samples

Our optimized protocol was then applied to four real water samples (one tap water and three 258 259 river samples) to assess the potential of our analytical procedure. Most publications related to mercury sensors describe application to quantify Hg^{2+} levels in living cells, with incubation 260 levels at 20-40 µg.L⁻¹ (100-200 nM) [10,11]. Application to environmental samples like natural 261 waters requires lower levels of study. As our selected samples contained no mercury (checked 262 by ICP-MS analysis), samples were spiked at 1 μ g.L⁻¹ (5 nM) and 2 μ g.L⁻¹ (10 nM) of mercury. 263 As pH control is important for our protocol (use of an acetic acid buffer at pH 5.25), pH of the 264 265 real samples was set between 5.2 and 5.3 after spiking. Results for the spiked samples show that good recoveries were achieved (Table 4), demonstrating that our protocol can be applied 266

to real water samples, even at the μ g.L⁻¹ level which is the parametric value for the quality of water intended for human consumption in Europe.

269

270

Sample	Spiked concentration of Hg ²⁺ (µg.L ⁻¹)	Found (µg.L ⁻¹)	Recovery (%)
Tag weter	1	0.95 ± 0.11	95.0
Tap water	2	1.91 ± 0.1	95.5
Diana 1	1	1.01 ± 0.09	101.0
Kiver 1	2	1.88 ± 0.06	94.0
	1	0.88 ± 0.07	88.0
River 2	2	1.98 ± 0.06	99.0
 D:	1	0.96 ± 0.1	96.0
Kiver 3	2	1.87 ± 0.08	93.5

Table 4. Detection of Hg²⁺ in spiked real water samples using the microplate protocol. Buffer:
Acetic acid 50 mM pH 5.25.

273

274 **4.** Conclusions

In conclusion, this study has proven that simple optimizations of a metal ion detection method can result in large enhancement of the analytical performances, required for reliable application to real samples. Replacing rhodamine-B fluorophore by rhodamine-6G on our NS2-containing sensor improved detection limits more than 3-fold. Optimization of the buffer used for detection of Hg^{2+} ion displayed significant effects both on detection limits and selectivity. Acetate buffer enabled detection of Hg^{2+} below 1 µg.L⁻¹ (LOD = 0.3 µg.L⁻¹), whereas traditional neutral buffers were limited at 2 µg.L⁻¹. Use of acetate buffer also circumvented the problem of copper in competitive experiments, which is a very common issue related to copper as a general fluorescent quencher [22]. The optimized procedure has been successfully applied to real water samples, demonstrating applicability of our new methodology for Hg^{2+} detection.

285

286 Acknowledgements

The project leading to this publication has received funding from the French Research Agency (project « SMART-3D », ANR-18-CE04-0005). Financial support from Aix-Marseille Université, the Centre National de la Recherche Scientifique (CNRS), and Centrale Marseille is also gratefully acknowledged.

291

292 **References**

[1] C. M. L. Carvalho, E.-H. Chew, S. I. Hashemy, J. Lu, A. Holmgren, Inhibition of the human
thioredoxin system, a molecular mechanism of mercury toxicity, J. Biol. Chem. 283 (2008)
11913-11923. https://doi.org/10.1074/jbc.M710133200.

[2] G.Bjørklund, M. Dadar, J. Mutter, J. Aaseth, The toxicology of mercury: Current research
and emerging trends, Environ. Res. 159 (2017) 545-554.
<u>https://doi.org/10.1016/j.envres.2017.08.051</u>

[3] A. Manceau, M. Enescu, A. Simionovici, M. Lanson, M. Gonzalez-Rey, M. Rovezzi, R.

300 Tucoulou, P. Glatzel, K. L. Nagy, J.-P. Bourdineaud, Chemical forms of mercury in human hair

- 301 reveal sources of exposure, Environ. Sci. Technol. 50 (2016) 10721-10729.
 302 https://doi.org/10.1021/acs.est.6b03468.
- 303 [4] T. Rasheed, M. Bilal, F. Nabeel, H. M.N. Iqbal, C. Li, Y. Zhou, Fluorescent sensor based
- models for the detection of environmentally-related toxic heavy metals, Sci. Total Environ. 615
- 305 (2018) 476-485. <u>https://doi.org/10.1016/j.scitotenv.2017.09.126</u>.

- [5] N. De Acha, C. Elosúa, J. M. Corres, F. J. Arregui, Fluorescent sensors for the detection of
 heavy metal ions in aqueous media, Sensors 19 (2019) 599. https://doi.org/10.3390/s19030599.
- [6] H. M. Al-Saidi, A. A. El-Bindary, A. Z. El-Sonbati, M. A. Abdel-Fadeel, Fluorescence
 enhancement of rhodamine B as a tool for the determination of trace and ultra-trace
 concentrations of bismuth using dispersive liquid–liquid microextraction, RSC Adv. 6 (2016)
 21210-21218. https://doi.org/10.1039/c5ra27764g
- 312 [7] G. Chen, Z. Guo, G. Zeng, L. Tanga, Fluorescent and colorimetric sensors for environmental
- 313 mercury detection, Analyst 140 (2015) 5400-5443. <u>https://doi.org/10.1039/c5an00389j</u>.
- [8] M. H. Lee, J.-S. Wu, J. W. Lee, J. H. Jung, J. S. Kim, Highly sensitive and selective
- chemosensor for Hg2+ based on the rhodamine fluorophore, Org. Lett. 9 (2007) 2501-2504.
- 316 <u>https://doi.org/10.1021/ol0708931</u>.
- 317 [9] D. Wu, W. Huang, C. Duan, Z. Lin, Q. Meng, Highly sensitive fluorescent probe for
- selective detection of Hg2+ in DMF aqueous media, Inorg. Chem 46 (2007) 1538-1540.
 <u>https://doi.org/10.1021/ic062274e</u>.
- 320 [10] Y.-J. Gong, X.-B. Zhang, Z. Chen, Y. Yuan, Z. Jin, L. Mei, J. Zhang, W. Tan, G.-L. Shen,
- 321 R.-Q. Yu, An efficient rhodamine thiospirolactam-based fluorescent probe for detection of Hg^{2+}
- 322 in aqueous samples, Analyst 137 (2012) 932–938. <u>https://doi.org/10.1039/C2AN15935J</u>
- 323 [11] M. De la Cruz-Guzman, A. Aguilar-Aguilar, L. Hernandez-Adame, A. Bañuelos-Frias,
- 324 F. J Medellín-Rodríguez, G. Palestino, A turn-on fluorescent solid-sensor for Hg(II) detection,
- 325 Nanoscale Res. Lett. 9 (2014) 1-9. <u>https://doi.org/10.1186/1556-276X-9-431</u>.
- 326 [12] M. Li, Y. Sun, L. Dong, Q.-C. Feng, H. Xu, S.-Q. Zang, T. C.W. Mak, Colorimetric
- recognition of Cu2+ and fluorescent detection of Hg2+ in aqueous media by a dual chemosensor
- derived from rhodamine B dye with a NS2 receptor, Sens. Actuat. B Chem. 226 (2016) 332-
- 329 341. https://doi.org/10.1016/j.snb.2015.11.132.
- 330 [13] W. Huang, C. Song, C. He, G. Lv, X. Hu, X. Zhu, C. Duan, Recognition preference of
- rhodamine-thiospirolactams for Mercury(II) in aqueous solution, Inorg. Chem. 48 (2009) 50615072. https://doi.org/10.1021/ic8015657.
- 333 [14] W. Lin, X. Cao, Y. Ding, L. Yuan, Q. Yu, A reversible fluorescent Hg2+ chemosensor
- based on a receptor composed of a thiol atom and an alkene moiety for living cell fluorescence

- imaging, Org. Biomol. Chem. 8 (2010) 3618-3620. <u>https://doi.org/10.1039/C0OB00081G</u>.
- 336 [15] J. Huang, Y. Xu, X. Qian, A Rhodamine-based Hg2+ sensor with high selectivity and
- sensitivity in aqueous solution: a NS2-containing receptor, J. Org. Chem. 74 (2009) 2167-2170.
- 338 <u>https://doi.org/10.1021/jo802297x</u>.
- 339 [16] J. Gong, C. Liu, X. Jiao, S. He, L. Zhao and X. Zeng, A novel near-infrared fluorescent
- 340 probe with improved Stokes shift for specific detection of Hg^{2+} in mitochondria, Org. Biomol.
- 341 Chem. 18 (2020) 5238-5244. https://doi.org/10.1039/D0OB00507J
- 342 [17] F. Pan, J. Mao, Q. Chen, P. Wang, Solid-phase extraction of mercury(II) with magnetic
- 343 core-shell nanoparticles, followed by its determination with a rhodamine-based fluorescent
- 344 probe, Microchim. Acta 180 (2013) 1471-1477. https://doi.org/10.1007/s00604-013-1084-6
- [18] J. L. Parker, N. S. Bloom, Preservation and storage techniques for low-level aqueous
 mercury speciation, Sci. Total Environ. 337 (2005) 253-263.
 https://doi.org/10.1016/j.scitotenv.2004.07.006
- 348 [19] ANNEXES to the Proposal for a Directive of the European Parliament and of the Council
- on the quality of water intended for human consumption (recast), European Commission,
- 350 COM(2017) 753 final 2017/0332.
- 351 <u>https://eur-lex.europa.eu/resource.html?uri=cellar:8c5065b2-074f-11e8-b8f5-</u>
- 352 <u>01aa75ed71a1.0016.02/DOC_2&format=PDF</u>
- 353 [20] F. Yan, D. Cao, M. Wang, N. Yang, Q. Yu, L. Dai, L. Chen, A New Rhodamine-Based
- 354 "Off-On" Fluorescent Chemosensor for Hg (II) Ion and its Application in Imaging Hg (II) in
- 355 Living Cells, J. Fluoresc. 22 (2012) 1249-1256. https://doi.org/10.1007/s10895-012-1065-x
- 356 [21] X. Li, R. Zhao, Y. Wei, D. Yang, Z. Zhou, J. Zhang, Y. Zhou, A rhodamine derivative for
- Hg^{2+} -selective colorimetric and fluorescent sensing and its application to in vivo imaging, Chin.
- 358 Chem. Lett. 27 (2016) 813-816. https://doi.org/10.1016/j.cclet.2016.04.001
- 359 [22] S. Mizukami, T. Nagano, Y. Urano, A. Odani, K. Kikuchi, A fluorescent anion sensor that
- works in neutral aqueous solution for bioanalytical application, J. Am. Chem. Soc. 124 (2002)
 3920-3925. https://doi.org/10.1021/ja0175643.
- 362
- 363
- 364

365 Figure captions

- 366 *Figure 1. Structure of sensors* S1 and S2.
- 367 Figure 2- Fluorescence emission spectra of sensors S1 and S2 in the presence of different
- 368 concentrations of Hg^{2+} . Excitation was performed at 535 nm. Protocol: 1 mL sample + 150 μ L
- 369 HEPES buffer 50 mM pH 7.0 + 100 μ L sensor 5 μ M, shaking for 3 min. Inset: Zoom for
- 370 *fluorescence intensity between 0 and 10.*
- Figure 3- Comparison of the response of S1 with two standard solutions, depending on the
- buffer. Microplate protocol. Buffer: Acetic acid 50 mM for pH 5-5.5; MES 50 mM for pH 6-
- 373 6.5; MOPS 50 mM for pH 7-8. (A) Fluorescence intensities; (B) Ratio of fluorescence intensities
- between standard solutions and blank (F2/F0: ratio Hg 2 μ g.L⁻¹/blank; F10/F0: ratio Hg 10
- 375 $\mu g.L^{-1}/blank$).
- 376 Figure 4- Influence of the sensor S1 concentration on the fluorescence response. Microplate
- protocol. Sensor concentration is the concentration in the 25 μ L of sensor added to the sample.
- Buffer: Acetic acid 50 mM pH 5.25. F_5/F_0 is the ratio between the fluorescence response of a 5
- 379 $\mu g.L^{-1}$ standard solution and the blank.
- Figure 5. Selectivity study with sensor S1. A. Buffer: Acetic acid 50 mM pH 5.25. B: Buffer:
- 381 *MOPS* 50 mM pH 7.1. Microplate protocol, F/F_0 is the ratio between the fluorescence response
- 382 *of the metal ions solution and the blank.*
- 383 Scheme 1. Synthesis of Sensor S1
- 384
- 385
- 386
- 387



Figure 1. Structure of sensors **S1** and **S2**





Figure 2. Fluorescence emission spectra of sensors **S1** and **S2** in the presence of different concentrations of Hg^{2+} . Excitation was performed at 535 nm. Protocol: 1 mL sample + 150 μ L HEPES buffer 50 mM pH 7.0 + 100 μ L sensor 5 μ M, shaking for 3 min. Inset: Zoom for fluorescence intensity between 0 and 10



Figure 3. Comparison of the response of **S1** with two standard solutions, depending on the buffer. Microplate protocol. Buffer: Acetic acid 50 mM for pH 5-5.5; MES 50 mM for pH 6-6.5; MOPS 50 mM for pH 7-8. (A) Fluorescence intensities; (B) Ratio of fluorescence intensities between standard solutions and blank (F2/F0: ratio Hg 2 μ g.L⁻¹/blank; F10/F0: ratio Hg 10 μ g.L⁻¹/blank)



Figure 4. Influence of the sensor **S1** concentration on the fluorescence response. Microplate protocol. Sensor concentration is the concentration in the 25 μ L of sensor added to the sample. Buffer: Acetic acid 50 mM pH 5.25. F₅/F₀ is the ratio between the fluorescence response of a 5 μ g.L⁻¹ standard solution and the blank



Figure 5. Selectivity study with sensor S1. A. Buffer: Acetic acid 50 mM pH 5.25. B: Buffer: MOPS 50 mM pH 7.1. Microplate protocol, F/F0 is the ratio between the fluorescence response

of the metal ions solution and the blank

415 Figure 6. ¹H-NMR titration of Sensor **S1** (10.0 mM) with Hg^{2+} in CD₃CN and CD₃OD (1:1).

416 (a) Sensor S1 only; (b) Sensor S1 + 0.5 equiv of Hg^{2+} and (c) Sensor S1 + 1.00 equiv of Hg^{2+}

421 Scheme 1. Synthesis of Sensor S1

423 Scheme 2. Proposed mode of complexation of Sensor S1 with Hg^{2+}