

Focus on cross-scale feedbacks in global sustainable land management

Ralf Seppelt, Peter Verburg, Albert Norström, Wolfgang Cramer, Tomas

Vaclavik

► To cite this version:

Ralf Seppelt, Peter Verburg, Albert Norström, Wolfgang Cramer, Tomas Vaclavik. Focus on cross-scale feedbacks in global sustainable land management. Environmental Research Letters, 2018, 13 (9), pp.090402. 10.1088/1748-9326/aadc45 . hal-01868548

HAL Id: hal-01868548 https://amu.hal.science/hal-01868548v1

Submitted on 5 Sep 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ACCEPTED MANUSCRIPT • OPEN ACCESS

Focus on cross-scale feedbacks in global sustainable land management

To cite this article before publication: Ralf Seppelt et al 2018 Environ. Res. Lett. in press https://doi.org/10.1088/1748-9326/aadc45

Manuscript version: Accepted Manuscript

Accepted Manuscript is "the version of the article accepted for publication including all changes made as a result of the peer review process, and which may also include the addition to the article by IOP Publishing of a header, an article ID, a cover sheet and/or an 'Accepted Manuscript' watermark, but excluding any other editing, typesetting or other changes made by IOP Publishing and/or its licensors"

This Accepted Manuscript is © 2018 The Author(s). Published by IOP Publishing Ltd.

As the Version of Record of this article is going to be / has been published on a gold open access basis under a CC BY 3.0 licence, this Accepted Manuscript is available for reuse under a CC BY 3.0 licence immediately.

Everyone is permitted to use all or part of the original content in this article, provided that they adhere to all the terms of the licence https://creativecommons.org/licences/by/3.0

Although reasonable endeavours have been taken to obtain all necessary permissions from third parties to include their copyrighted content within this article, their full citation and copyright line may not be present in this Accepted Manuscript version. Before using any content from this article, please refer to the Version of Record on IOPscience once published for full citation and copyright details, as permissions may be required. All third party content is fully copyright protected and is not published on a gold open access basis under a CC BY licence, unless that is specifically stated in the figure caption in the Version of Record.

View the article online for updates and enhancements.

Type of Paper

Synthesis and review

Title

Focus on cross-scale feedbacks in global sustainable land management

5 Authors

Ralf Seppelt^{1,2,3,*}, Peter H. Verburg^{4,5}, Albert Norström⁶, Wolfgang Cramer⁷, Tomáš Václavík^{1,8}

Affiliations

- ¹ UFZ Helmholtz Centre for Environmental Research, Department Computational Landscape Ecology, 04318 Leipzig, Germany
 - ² Institute of Geoscience & Geography, Martin-Luther-University Halle-Wittenberg, 06099 Halle (Saale), Germany
 - ³ iDiv German Centre for Integrative Biodiversity Research, 04103 Leipzig, Germany
- ⁴ Institute for Environmental Studies, VU University Amsterdam, de Boelelaan 1087, 1081 HV Amsterdam, The Netherlands
 - ⁵ Swiss Federal Research Institute for Forest, Snow and Landscape, Birmensdorf, Switzerland
 - ⁶ Stockholm Resilience Centre, Stockholm University, Sweden
- ⁷ Mediterranean Institute for Biodiversity and Ecology (IMBE), Aix Marseille University, CNRS, IRD, Avignon University, Aix-en-Provence, France
 - ⁸ Palacký University Olomouc, Department of Ecology and Environmental Sciences, Faculty of Science, 78371 Olomouc, Czech Republic
- * Author for correspondence: Prof. Dr. Ralf Seppelt, Helmholtz Centre for Environmental Research – UFZ, Permoserstrasse 15, 04318 Leipzig, Germany. Tel: +49 341 235 1250, Fax: +49 341 235 1939. ralf.seppelt@ufz.de

Keywords

place-based research, transferability, land use, tele-coupling, scenario analysis.

Text

1. Introduction

Human land-use activities have transformed most of the Earth's land surface (Foley *et al* 2005, Ellis 2011, Gauthier *et al* 2015). While land-use activities differ in many ways across the world, their combined impact is becoming a force of global importance. Consequently, sustainable land management (SLM) has been identified as a key lever for achieving global sustainability. For example, six out of 17 sustainable development goals
(SDGs), adopted in the United Nations 2030 Agenda for Sustainable Development, relate directly to land management: (i) land management is key for providing goods and services for human kind relating to "zero hunger" (SDG 2); (ii) land management is responsible for 20-40% of GHG emissions relating to "climate action" (SDG 13), and (iii) land management is a major driver of biodiversity loss relating to "life of land" (SDG 15).
Indirectly land management affects "affordable clean energy" (SDG 7) and "sustainable cities and communities" (SDG 11).

A growing human population, associated with increasing consumption rates and demands on commodities, requires a true paradigm shift regarding the management of the land for long-term sustainability. At the same time we are witnessing a progressive scarcity of available productive land, and the production peak of many renewable resources has already been passed (Lambin and Meyfroidt 2011, Seppelt et al 2014). These demands and the limits to supply underlie the many linkages between the different social, economic and ecological goals and targets that are being charted out by Agenda 2030 (Geijzendorffer *et al* 2017). Pathways to some goals are synergistic, while others present trade-offs for their mutual achievement. For example, an increase of provisioning goods and services from ecosystems, such as food and fibre, could be achieved through further intensification of land use (Mauser et al 2015), which might lead to an increasing loss of biodiversity (Newbold et al 2015, Gerstner et al 2014, Stein et al 2014) but also results in higher greenhouse gas (GHG) emission through higher energy use and fertilizer application. At the same time, biodiversity has to be maintained for many societal objectives including its potential to support ecosystem functions such as pollination (Cardinale et al 2012, Seppelt et al 2016). A significant reduction of GHG emissions through large-scale deployment of new biofuels is in conflict with the production of food or conservation of natural habitats for biodiversity or carbon

- 60 storage. The specific nature of the conflicts and synergies between these different objectives strongly depends on the local land system and the environmental, socioeconomic and cultural context in which this land system is operating. Thus, achieving one SDG might compromise others (Pradhan *et al* 2017) and trade-offs on various scales need to be expected, which can be moderated by appropriate land management.
- Whilst place-based research provides essential knowledge on the biophysical and socio-economic boundaries of land use, its findings are naturally contingent upon the specific geographical context and rarely account for off-site effects. The conversion of a conventional agricultural system at one location to organic farming may have positive impacts on local sustainability, but it may, due to lower production, displace some impacts to other locations that need to compensate for the loss of production. On the other hand, many land use drivers such as climate change, population growth or consumption patterns are well captured at the global scale, but there are significant uncertainties about how they interact with local conditions. Both regional and global studies on food production rarely account for these tight links and interactions between socio-economic and biophysical processes. These uncertainties and incongruences in spatial scales prevent effective integration, synthesis and transferability of findings from research to sustainable land management.
 - Against this background, we here review and synthesize the contributions of the focus collection on "Cross-scale Feedbacks in Global Sustainable Land Management", which
 collates papers that investigate the links between global change processes and local realities through, e.g. integration of local and global drivers impacting economic and biophysical processes or assessing the transferability or up-scaling of findings from place-based research.

2. Synthesis: Emerging Topics in Sustainable Land Management and Land Systems Research

The articles in this focus issue illustrate new approaches to investigate global and regional land systems, and identify key research frontiers important for sustainable land management across scales to achieve the SDGs. Three major clusters of research frontiers have been identified: (1) new frameworks to understand cross-scale dynamics of land-use systems, (2) synthesis of place-based research, and (3) addressing future perspectives of land use by development of consistent scenarios.

2.1 New frameworks to understand cross-scale dynamics of land-use systems

Land management dynamics are seldom just local or place-specific anymore, but are influenced by multiple global drivers with complex connections to other places.
95 Improving our understanding of these different cross-scale dynamics, in diverse land-use systems is critical. Dorninger *et al* (2017) conceptualize the "human-nature connectedness" as a new methodological framework that can be applied in any region of the world to assess how closely connected people are to their regional ecosystems. The authors identify two key mechanisms that disconnect humans from nature on a regional scale: (1) the flow of external non-renewable inputs into the land-use system and (2) teleconnections with distant systems. While these mechanisms allow for greater regional resource use, they pose challenges for sustainability through waste generation, depletion of non-renewable resources and environmental burdens shifted to distant regions.

The topic of environmental burdens is elaborated by Pascual et al (2017), who argue for a better recognition of the distant, diffuse and delayed impacts that land management often has on biodiversity and ecosystem services. They define these impacts as "off-stage ecosystem service burdens" and identify four typical pathways based on biodiversity conservation policies, and the management of provisioning, regulating and cultural services. The authors advocate for their incorporation in land management decisions and ecosystem service assessments such as those conducted by the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES).

Finally, Sietz *et al* (2017) apply the emerging approach of "archetype analysis" and
assess vulnerability in African drylands to environmental change. A cluster analysis reveals archetypical patterns of how vulnerable farming systems are to land degradation and support understanding the heterogeneity of vulnerability determinants (e.g. water availability, agro-ecological potential or population pressure) across sub-Saharan Africa. Importantly, their spatially explicit framework offers the opportunity of evaluating a specific region's potentials and challenges in its wider context across nested scales.

2.2 Synthesis of Place-Based Research Results

While new conceptual and analytical frameworks such as the above provide guidance in designing specific analysis and provide suggestions for similarities between case

- studies, a general methodology on the transferability of place-based research is unresolved and defines the second emerging topic. Three studies focus on synthesis of data and local case studies on sustainable land management, highlighting the need for generalization and transferability of findings. Hermans-Neumann et al (2016) analyse the drivers of changes in tropical forest products using a standardized, pan-tropical dataset of more than 200 villages with forest access. Their analysis show that forest resources (e.g. timber, fuel wood and food) declined over the last five years, though with marked differences across continents. The strongest degradation of forest resources occurred in places with both growing resource use and immigration,
- Similarly, Carter et al (2017) synthesize comprehensive data on large scale land acquisition (LSLA) to reveal that land available for agriculture, accessibility and political stability are the main factors that explain whether a country will be targeted for LSLA. The synthesis of such comprehensive datasets allows for globally comparative analyses that go beyond case studies in terms of generalizable conclusions and transferability of findings.
- The issue of transferability is specifically addressed by Václavík et al (2016) who build on a previously developed concept of land system archetypes (Václavík *et al* 2013, Levers *et al* 2018) to investigate potential transferability of regional case studies that focus on land management and ecosystem services across four continents. The proposed method is offered as a blueprint for large research frameworks that need to assess the relevance and representativeness of place-based research for other geographical areas and to identify possible gaps in research efforts.

2.3 Future Perspectives and New Integrated Scenarios

Finally, the third emerging topic deals with potential future developments of land management, based on scenarios which capture the diversity of land systems. Scenarios of land management need to consider that land is a limited resource which can be used to produce food and fibre or to maintain non-provisioning ecosystem services but that trade-offs exist in the decisions how to manage land (Titeux *et al* 2017). Modelling approaches that integrate the interplay of biophysical and socioeconomic factors in scenarios of global or regional change are promising tools to study future land-use impacts and trade-offs. Delzeit et al (2018) provide a set of scenarios of global drivers until 2030 that can be used consistently in a range of regional and local case studies of land use. The impacts of biofuel policies, dietary patterns, cropland expansion and

productivity changes on agricultural markets are investigated in a modelling framework that couples an economic model with a crop growth model.

One of these global scenarios together with regionally-tailored land-use and climate change scenarios is applied by Langerwisch et al (2018) who quantify the combined effects of land-use and climate change on four ecosystem services in rice-production regions in Southeast Asia. Here, the vegetation and hydrology model LPImL shows clear trade-offs in the future provision of ecosystem service, but also the potential of land management to partially offset the negative impacts of climate change on rice production, carbon storage and sequestration. Following a similar framework, Gutsch et al (2018) quantify the effects of alternative land management scenarios and climate impacts on forest variables indicating ecosystem services related to timber, habitat, water and carbon. Again, the combination of modelling tools applied under scenarios of future change allows to better balance the trade-offs between ecosystem services and provides the base for future forest management optimization at the regional and national scale.

3. Outlook: Guiding questions of the emerging topics

Obviously, a focus collection of publications as this cannot fully cover the complex topic of sustainable land management in a comprehensive or exhaustive manner. Global land management is characterized by a diverse set of key challenges. These range from sustainable resource appropriation, the preservation of biodiversity and ecosystem functioning, human well-being, equity and so forth, as comprehensively covered by the SDGs, or as illustrated by Figure 1. Based on the emerging topics identified by and discussed in the contributions of this focus collection we can collate key questions, which serve for stimulation as well as for guidance of future research directions, c.f. Box

1.



Figure 1: The diverse facets of global sustainable management of land systems (Artist: M. Volk). The main
 task of balancing different trade-offs, such as between various SDGs, by the artistic guy in the center of the picture, mostly model-based (c.f. sign), has to cope with various challenges (smaller cartoons in different world regions): deforestation, invasive species (e.g. South America), water scarcity, high-tech agriculture, global trade (e.g. North America); renewable energies and bio-based economies, global-trade (e.g. Europe), large scale land acquisitions, mining and resources extraction (e.g. Africa), urbanization (e.g. East Asia), mining and resources extraction, invasive species (e.g. Australia)).

There is a predominant paradigm that an improved understanding of the system of interest, here land systems, is key to improve decision making. However, despite a significant increase in our understanding of land system dynamics over the past two decades, the uptake and integration of scientific knowledge into decision-making
processes remains limited (Kirchhoff *et al* 2013). This is because decision-making only partly relies on well-established scientific knowledge. Of equal importance are the underlying value systems of the involved decision-makers, beneficiary and stakeholders as well as the governance system and power structures in which decision can be taken, namely rules, values and knowledge (rvk), c.f. Goddard *et al* (2016). Consequently, a
simplistic focus on generating more understanding of land system dynamics, will likely in itself be insufficient to foster sustainable land management.

Moving towards alternative approaches to science-policy interactions, such as co-production (Mauser et al 2013), could increase the relevance and usability of land-use science for society and decision-making. With respect to global land *governance*, new emerging processes such as large-scale land acquisition or spill-off and offsite-effects (Carter *et al* 2017, Pascual *et al* 2017, Seppelt *et al* 2011) pose challenges to land management which is mostly implemented through law, rule or incentives at the local to regional scale. Surprisingly, large-scale land acquisitions are not an issue in global scale agro-economic models (Debonne et al 2018). A proper representation of changes in farming structure, including their underlying social, economic and political drivers, is important to be able to analyse the environmental, economic and social impacts of such changes and the ways in which these new modes of land governance impact on the relations between global and local processes. The limitation of the available land surface and the limitation of its goods and services produced simply suggests that novel ideas to govern land as global commons are required (Seppelt *et al* 2014, Creutzig 2017). This focus collection also contrasts two different conceptual approaches to the *synthesis* of place-based research results: (a) global-scale analysis and modelling, that builds on the basic assumption to fully capture global processes related to land use and (b) linkage of a variety of locations studied as different case studies. While global trade models are limited with respect to spatial scale but also with respect to the commodities captured, a similar limitation holds for the synthesis of place-based results. For the latter, concepts like tele-coupling, off-site effects or spill-over emerge quite logically (Pascual et al 2017, Liu et al 2015, Seppelt et al 2011). Although tele-coupling is well conceptualized, operationalization in research methods is still challenging. The literature is full of local case study evidence of potential impacts of emerging value chains and the role of market-based commodities and tele-coupled land management (Lenzen et al 2012). However, these local insights are poorly coupled to larger scale assessments and life cycle analysis (LCA) where impacts are only considered 'on average' ignoring the importance of local land systems as determinants of the impacts of these global relations.

For developing future perspectives on sustainable land management based on scenario approaches a better integration of feedbacks is needed, c.f. Delzeit *et al* (2018). Gaps still relate to understating land use intensity, landscape homogenization and the feedback between landscapes, agricultural production and biodiversity of managed landscapes (Seppelt *et al* 2016, Verburg *et al* 2016), specifically as humans shape emerging or novel

ecosystems. Two understudied feedbacks pose major challenges for future global land systems research. First, the mutual dependence between biodiversity and agricultural production is understudied in global studies and models: Biodiversity is negatively affected through land-use intensification, which is mostly applied to boost yields. Maintaining yields on a high level, however, requires various facets of biodiversity for support of important ecosystem functions such as nutrient cycling, biocontrol or pollination (Seppelt et al 2016). Research for embedding these feedbacks quantitatively in global scale models is advancing and could become crucial for global assessments in the near future (Rosa et al 2016). Second, the feedback between commodity production and consumption are also understudied. Usually demand trajectories are predefined, such as by predefined scenarions, e.g. Delzeit et al (2018). Jevons paradox-like, rebound phenomena, which denote the increasing demand for a resource after establishing a more resource efficient production method (Alcott et al 2005), are mostly neglected in today's scenarios analysis. This might hamper understanding of rebound-effects and probably leads to overly positive estimates on certain scenarios. Given the limited land resources available and multiple competing claims on these resources sustainable land management should also include sustainable consumption (Scherer and Verburg 2017). While sustainable consumption is also one of the SDGs it is hardly related to land management. Recent work of Alexander et al (2016) shows the strong impacts of consumption and value-chain losses on agricultural production, indicating the potential reduction on land resources that can be achieved through improved consumption and value-chain management. This focus collection provides several contributions in the fields of land system science to the development of concepts, models and tools for sustainable land management. To advance beyond the current state of the art, future research directions need to address a diversity of topical challenges such as poverty reduction, large scale land acquisition, global feedbacks of agricultural production and biodiversity. While research questions can be developed easily, we acknowledge that further research needs shall not hamper action with respect to lowering pressure on the environment by all possible means. Research needs are no excuse for inaction (Voinov et al 2014).

2
3
4
3 4 5 6 7
c
6
7
8
9
-
10
11
12
13
14
15
15 16
10
17
18 19 20
19
20
21
22
22 23 24 25
24
24
25
25 26
27
27
21 22 23 24 25 26 27 28 29 30 31
29
30
21
51
32
33
34
35 36 37
35
36
57
38
39
40
41
42
43
44
45
46
47
48
49
50
50
51
52
53
54
55
56

Box 1: Outstanding questions of the emerging question in sustainable land management

-	Are the correct drivers addressed for investigating solutions on sustainable land management, considering the knowledge, values and rules define the decision context?
	How to capture countries activities and characteristics properly to account for emerging issues
-	such as large-scale land acquisition, or long-distance externalization of effects within global
	agro-economic models?
-	What are the options to govern land as global commons?
Synt	hesis of place-based research results
-	Which are the next steps to enable global agro-economic models to address a larger set of
	commodities, different land-holding systems, capture nutrient cycling and provide sufficient
	information on food security question on a finger spatial resolution?
-	How can tele-coupling concept be operationalized in research to better underpin and embed
	life cycle analysis in global relations?
-	Which data gaps should be closed to better account for local variations in the socio-economic
	context of sustainable land management?
Futu	ire perspectives and new scenarios
-	How to implement the mutual feedback of biodiversity and agricultural production in today's
	global model system estimation global agricultural yields and estimate optimum intensification
	levels?
-	To what extent do concepts like sustainable intensification that claim to have synergies
	between SDGs really have potential, what are the trade-offs hidden in these systems and in
	what local context are such concepts applicable?
-	How can integrated scenarios capture the links between production and consumption,
	rebound effects and Jevons paradox?

Acknowledgements

This study was funded by the German Federal Ministry of Education and Research (BMBF) as part of the GLUES project (01LL0901A). We are grateful to M. Volk and his creativeness providing us Figure 1 with a cartoon-like illustration of the topics in this focus collection.

1
2
3
3 4 5 6 7
5
6
7
8
9
9 10
12
13
14
15
16
17
12 13 14 15 16 17 18 19
19
20
20
21
22
21 22 23 24 25 26 27
24
25
26
27
28
20
29 30 31
50
5.
32
33
34
33 34 35 36
36
37
38
39
40
41
42
43
44
45
46
47
48
49
49 50
51
52
53
54
55
56
57
58
50 59
צנ

1 2 3		References
4 5 6		Alcott B 2005 Jevons' paradox <i>Ecol. Econ.</i> 54 9–21
7 8 9 10		Alexander P, Brown C, Arneth A, Finnigan J and Rounsevell M D A 2016 Human appropriation of land for food: The role of diet <i>Glob. Environ. Chang.</i> 41 88–98
11 12 13 14 15 16 17	280	Carter S, Manceur A M, Seppelt R, Hermans-Neumann K, Herold M and Verchot L 2017 Large scale land acquisitions and REDD+: a synthesis of conflicts and opportunities <i>Environ. Res. Lett.</i> 12 035010
18 19 20 21 22 23 24 25 26	285	Cardinale B J, Duffy J E, Gonzalez A, Hooper D U, Perrings C, Venail P, Narwani A, Mace G M, Tilman D, A.Wardle D, Kinzig A P, Daily G C, Loreau M, Grace J B, Larigauderie A, Srivastava D S, Naeem S, Wardle D A, Kinzig A P, Daily G C, Loreau M, Grace J B, Larigauderie A, Srivastava D S and Naeem S 2012 Biodiversity loss and its impact on humanity <i>Nature</i> 489 326–326
27 28 29 30 31 32 33 34 35	290	Creutzig F 2017 Govern land as a global commons <i>Nature</i> 546 28–29 Debonne N, van Vliet J, Heinimann A and Verburg P 2018 Representing large-scale land acquisitions in land use change scenarios for the Lao PDR <i>Reg. Environ.</i> <i>Chang.</i> 8 1857–1869
36 37 38 39 40 41 42 43 44 45	295	 Delzeit R, Klepper G, Zabel F and Mauser W 2018 Global economic-biophysical assessment of midterm scenarios for agricultural markets—biofuel policies, dietary patterns, cropland expansion, and productivity growth <i>Environ. Res. Lett.</i> 13 025003 Dorninger C, Abson D J, Fischer J and Von Wehrden H 2017 Assessing sustainable
46 47 48 49 50 51 52 53 54 55 56 57	300	 biophysical human-nature connectedness at regional scales <i>Environ. Res. Lett.</i> 12 055001 Ellis EC 2011 Anthropogenic transformation of the terrestrial biosphere. <i>Phil. Trans. R.</i> <i>Soc. A</i> 369 1010–1035 Foley JA 2005 Global Consequences of Land Use. <i>Science</i> 309 570–574 Cauthier S. Bernier P. Kuuluvainen, T. Shvidenko A7 and Schepaschenko DC 2015
58 59 60	7	Gauthier S, Bernier P, Kuuluvainen T, Shvidenko AZ and Schepaschenko DG 2015. Boreal forest health and global change. <i>Science</i> 349 (6250) 819–822

V

2		Geijzendorffer IR, Cohen-Shacham E, Cord AF, Cramer W, Guerra C and Martín-López B
3 4	305	2017 Ecosystem services in global sustainability policies Env. Sciences & Policy 74
5 6		40-48
7		
8 9		Gerstner K, Dormann C F, Stein A, Manceur A M and Seppelt R 2014 Effects of land use
10 11		on plant diversity - A global meta-analysis <i>J. Appl. Ecol.</i> 51 1690–700
12 13		Gorddard R, Colloff M J, Wise R M, Ware D and Dunlop M 2016 Values, rules and
14 15	310	knowledge: Adaptation as change in the decision context <i>Environ. Sci. Policy</i> 57 60-
16		69
17 18		
19		Gutsch M, Lasch-Born P, Kollas C, Suckow F and Reyer C P O 2018 Balancing trade-offs
20 21		between ecosystem services in Germany's forests under climate change Environ.
22 23		Res. Lett. 13 045012
24 25	315	Hermans-Neumann K, Gerstner K, Geijzendorffer I R, Herold M, Seppelt R and Wunder S
26 27		2016 Why do forest products become less available? A pan-tropical comparison of
28 29		drivers of forest-resource degradation Environ. Res. Lett. 11 125010
29 30 31		Kirchhoff CJ, Carmen Lemos M and Dessai S 2013 Actionable Knowledge for
32 33		Environmental Decision Making: Broadening the Usability of Climate Science. Annu.
34 35	320	Rev. Environ. Resour. 38 393–414
36 37 29		Lambin EF, Meyfroidt P 2011 Inaugural Article: Global land use change, economic
38 39 40		globalization, and the looming land scarcity. <i>Proc. Natl. Acad. Sci.</i> 108 3465–3472
40 41 42		Langerwisch F, Václavík T, von Bloh W, Vetter T and Thonicke K 2018 Combined effects
43		of climate and land-use change on the provision of ecosystem services in rice agro-
44 45 46	325	ecosystems Environ. Res. Lett. 13 015003
46 47 48		Lenzen M, Moran D, Kanemoto K, Foran B, Lobefaro L and Geschke A 2012 International
49 50		trade drives biodiversity threats in developing nations <i>Nature</i> 486 109–12
51 52		Levers C, Müller D, Erb K, Haberl H, Jepsen M R, Metzger M J, Meyfroidt P, Plieninger T,
53 54		Plutzar C, Stürck J, Verburg P H, Verkerk P J and Kuemmerle T 2018 Archetypical
55 56	330	patterns and trajectories of land systems in Europe Reg. Environ. Chang. 18 715–32
57 58		Liu J, Mooney H, Hull V, Davis S J, Gaskell J, Hertel T, Lubchenco J, Seto K C, Gleick P,
59 60		Kremen C and Li S 2015 Systems integration for global sustainability Science 347
		1258832-1258832

 \checkmark

2		Mauser W, Klepper G, Rice M, Schmalzbauer BS, Hackmann H, Leemans R and Moore H
3 4	335	2013 Transdisciplinary global change research: The co-creation of knowledge for
5 6		sustainability. Curr. Opin. Environ. Sustain. 5 420–431
7 8		Mauser W, Klepper G, Zabel F, Delzeit R, Hank T, Putzenlechner B and Calzadilla A 2015
9 10		Global biomass production potentials exceed expected future demand without the
11		need for cropland expansion <i>Nat. Comm.</i> 6 8946
12 13		
14 15	340	Newbold T, Hudson L N, Hill S L L, Contu S, Lysenko I, Senior R A, Börger L, Bennett D J,
16		Choimes A, Collen B, Day J, De Palma A, Díaz S, Echeverria-Londoño S, Edgar M J,
17 18		Feldman A, Garon M, Harrison M L K, Alhusseini T, Ingram D J, Itescu Y, Kattge J,
19 20		Kemp V, Kirkpatrick L, Kleyer M, Correia D L P, Martin C D, Meiri S, Novosolov M,
21		Pan Y, Phillips H R P, Purves D W, Robinson A, Simpson J, Tuck S L, Weiher E, White
22 23	345	H J, Ewers R M, Mace G M, Scharlemann J P W and Purvis A 2015 Global effects of
24 25		land use on local terrestrial biodiversity <i>Nature</i> 520 45–50
26		
27 28		Pascual U, Palomo I, Adams W M, Chan K M A, Daw T M, Garmendia E, Gómez-Baggethun
29 30		E, De Groot R S, Mace G M, Martín-López B and Phelps J 2017 Off-stage ecosystem
31		service burdens: A blind spot for global sustainability <i>Environ. Res. Lett.</i> 12 075001
32 33	350	Pradhan P, Costa L, Rybski D, Lucht W and Kropp J P 2017 A Systematic Study of
34 35		Sustainable Development Goal (SDG) Interactions <i>Earth's Future</i> . 5 1169–79
36 37		Sustainable Development dour (oblighter det on 5 1 dour of 5 1105 7 5
38		Rosa I M D, Pereira H M, Ferrier S, Alkemade R, Acosta L A, Akcakaya H R, den Belder E,
39 40		Fazel A M, Fujimori S, Harfoot M, Harhash K A, Harrison P A, Hauck J, Hendriks R J J,
41 42		Hernández G, Jetz W, Karlsson-Vinkhuyzen S I, Kim H, King N, Kok M T J,
43	355	Kolomytsev G O, Lazarova T, Leadley P, Lundquist C J, García Márquez J, Meyer C,
44 45		Navarro L M, Nesshöver C, Ngo H T, Ninan K N, Palomo M G, Pereira L M, Peterson G
46 47		D, Pichs R, Popp A, Purvis A, Ravera F, Rondinini C, Sathyapalan J, Schipper A M,
48 49		Seppelt R, Settele J, Sitas N and van Vuuren D 2017 Multiscale scenarios for nature
50 51		futures Nat. Ecol. Evol. 1 1416–9
52 53	360	Scherer L, Verburg PH 2017 Mapping and linking supply- and demand-side measures in
54 55		climate-smart agriculture. A review. <i>Agron. f. Sust. Develop.</i> 37 :66.
56 57 58		Seppelt R, Dormann C F, Eppink F V., Lautenbach S and Schmidt S 2011 A quantitative
59		review of ecosystem service studies: approaches, shortcomings and the road ahead
60		J. Appl. Ecol. 48 630–6

2 3	365	Seppelt R, Manceur A M, Liu J, Fenichel E P and Klotz S 2014 Synchronized peak-rate
4 5		years of global resources use <i>Ecol. Soc.</i> 19 art50
6 7		Seppelt R, Beckmann M, Ceaușu S, Cord A F, Gerstner K, Gurevitch J, Kambach S, Klotz S,
8 9		Mendenhall C, Phillips H R P P, Powell K, Verburg P H, Verhagen W, Winter M and
10		Newbold T 2016 Harmonizing Biodiversity Conservation and Productivity in the
11 12 13	370	Context of Increasing Demands on Landscapes <i>Bioscience</i> 66 biw004
14 15		Stein A, Gerstner K and Kreft H 2014 Environmental heterogeneity as a universal driver
16		of species richness across taxa, biomes and spatial scales ed H Arita Ecol. Lett. 17
17 18 19		866-80
20 21		Sietz D, Ordoñez J C, Kok M T J, Janssen P, Hilderink H B M, Tittonell P and Van Dijk H
22	375	2017 Nested archetypes of vulnerability in african drylands: Where lies potential
23 24 25		for sustainable agricultural intensification Environ. Res. Lett. 12 075001
26 27		Titeux N, Henle K, Mihoub J-B, Regos A, Geijzendorffer I R, Cramer W, Verburg P H,
28 29		Brotons L 2017 Global scenarios for biodiversity need to better integrate climate
30 31		and land use change <i>Diversity & Distributions</i> 23 1231–1234
32 33	380	Václavík T, Lautenbach S, Kuemmerle T and Seppelt R 2013 Mapping global land system
34 35		archetypes Glob. Environ. Chang. 23 1637–47
36 37		Václavík T, Langerwisch F, Cotter M, Fick J, Häuser I, Hotes S, Kamp J, Settele J,
38 39		Spangenberg J H and Seppelt R 2016 Investigating potential transferability of place-
40 41		based research in land system science <i>Environ. Res. Lett.</i> 11 095002
42 43	385	Verburg PH, Dearing JA, Dyke JG, Leeuw Svd, Seitzinger S, Steffen W and Syvitski J 2016
44 45		Methods and approaches to modelling the Anthropocene. <i>Glob. Env. Change</i> 39 328-
46 47 48		340
49		Voinov A, Seppelt R, Reis S, Nabel J E M S M S and Shokravi S 2014 Values in socio-
50 51		environmental modelling: Persuasion for action or excuse for inaction Environ.
52 53	390	Model. Softw. 53 207–12
54 55		
56		
57 58		
59 60		