

## Multi-objective optimization of the thermal-hydraulic behavior for a sodium fast reactor with a gas power conversion system

Avent Grange, Frédéric Bertrand, Jean-Baptiste Droin, Amandine Marrel, Olivier Boutin, Jean-Henry Ferrasse

## ▶ To cite this version:

Avent Grange, Frédéric Bertrand, Jean-Baptiste Droin, Amandine Marrel, Olivier Boutin, et al.. Multi-objective optimization of the thermal-hydraulic behavior for a sodium fast reactor with a gas power conversion system. ICNTHS 2018, Oct 2018, Paris, France. hal-02116842

## HAL Id: hal-02116842 https://amu.hal.science/hal-02116842

Submitted on 1 May 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## MULTI-OBJECTIVE OPTIMIZATION of the THERMAL-HYDRAULIC BEHAVIOR for a SODIUM FAST REACTOR with a GAS POWER CONVERSION SYSTEM

Avent GRANGE<sup>1</sup>, Frédéric BERTRAND<sup>1</sup>, Jean-Baptiste DROIN<sup>1</sup>, Amandine MARREL<sup>1</sup>, Olivier BOUTIN<sup>Erreur</sup>! Signet non défini, Jean-Henry FERRASSE<sup>2</sup>

Abstract— CEA and its industrial partners design a gas Power Conversion System (PCS) based on a Brayton cycle for the Sodiumcooled Fast Reactor (SFR) ASTRID (Advanced Sodium Technological Reactor for Industrial Demonstration). Investigations of regulation requirements aiming at operating this PCS, during normal, incidental and accidental scenarios, are necessary to adapt core heat removal. In this frame, a PhD work develops a methodology to optimize the reactor piloting procedure. This methodology carries out a multi-objective optimization for a specific sequence, whose objective is to improve component lifetime by reducing simultaneously several thermal stresses, to consider safety constraints and to respect studied procedure. To solve this multiobjective problem, optimization parameters are setpoints and parameters of the controllers associated with regulations included in the sequence. The methodology allows designers to define an optimized and specific control strategy of the plant for the studied sequence and hence to adapt PCS piloting at its best. The multiobjective optimization is performed on evolutionary algorithms coupled to surrogate models built on the thermal-hydraulic system code, CATHARE2.

The methodology is applied for a loss of off-site power sequence. Three variables are controlled: the sodium outlet temperature of the sodium-gas heat exchanger, turbomachine rotational speed and water flow through the heat sink. These regulations are chosen in order to minimize thermal stresses on the gas-gas heat exchanger, on the sodium-gas heat exchanger and on the vessel. The main results of this work are desired setpoints for the three regulations, which solve the multi-objective optimization problem. Moreover, Proportional-Integral-Derivative (PID) control setting is considered and efficient actuators used in controls are chosen through sensitivity analysis results. Finally, the optimized regulation system and the reactor piloting procedure, that have been elaborated with surrogate models, are verified through a direct CATHARE2 calculation.

**Keywords**—CATHARE2, incidental regulations, loss of off-site power, multi-objective optimization, surrogate models.

<sup>&</sup>lt;sup>1</sup>A. GRANGE, F. BERTRAND, J-B. DROIN, A. MARREL are with the Atomic Energy Commission (CEA), DEN/DER/SESI F-13108, Saint-Paul Lez Durance, France (contact address: avent.grange@cea.fr).

<sup>&</sup>lt;sup>2</sup> J-H. FERRASSE, O. BOUTIN are with the Aix-Marseille University, CNRS, ECM, M2P2 UMR 7340, FR-13451 Marseille, France (jean-henry,ferrasse@univ-amu.fr; olivier.boutin@univ-amu.fr).