

## Vaccination against the big three killers: an illusion? Didier Raoult, Philippe Parola

## ▶ To cite this version:

Didier Raoult, Philippe Parola. Vaccination against the big three killers: an illusion?. Clinical Microbiology and Infection, 2019, 25 (6), pp.654-655. 10.1016/j.cmi.2019.03.001. hal-02202575

## HAL Id: hal-02202575 https://amu.hal.science/hal-02202575v1

Submitted on 22 Oct 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S1198743X19301028 Manuscript\_be2c7c1a0d67df4d692194e50daa80c1

1	Vacci	nation against the big three killers: an illusion ?
2		
3	Didier	Raoult <sup>1,2*</sup> and Philippe Parola <sup>2,3</sup>
4		
5	1	Aix Marseille Univ, IRD, AP-HM, MEPHI, Marseille, France
6	2	IHU-Méditerranée Infection, Marseille, France
7	3	Aix Marseille Univ, IRD, AP-HM, SSA, VITROME, Marseille, France.
8		
9		
10	*Corre	esponding author e-mail: didier.raoult@gmail.com
11	Full po	stal adress: Prof. Didier Raoult, Institut Hospitalo-Universitaire Méditerranée Infection, 19-21
12	boulevard Jean Moulin, 13005 Marseille, France	
13	Phone	: [33] 413 73 20 01
14		

15

16	For 30 years, the largest investment in life sciences has been in seeking an
17	immunization against the "Big Three": AIDS, tuberculosis and malaria. This choice appears
18	logical as these diseases are among the largest killers among infectious diseases, accounting
19	probably together for >1.750.000 deaths per year [1, 2]. Attempting to develop a vaccine
20	prevention strategy that yielded extraordinary results on smallpox and which was very
21	significant for poliomyelitis, diphtheria, mumps and measles, could have yielded spectacular
22	results. However, this attempt, despite the increasing levels of financial and scientific
23	investment with hundreds of publications every year, has not produced any tangible and
24	applicable results. Despite the annual declarations of new vaccine strategies for these three
25	diseases, real applicable strategies have never followed. This does not seem surprising to us,
26	and we think that we need to change our strategy in the current state of our knowledge.
27	Malaria is a non-immunizing disease [3]. People who are exposed to malaria can
28	receive several hundred infective bites per year, suffered several malaria episodes with
29	different strains, and the low immunity that has been eventually acquired, disappears very
30	quickly after a several months in a malaria-free country. We are currently experiencing this in
31	France with African students and Comorian migrants. Vaccine development continues but none
32	of the malaria vaccine candidates developed to date have been shown to provide long-lasting
33	benefits at a population level. Even what appeared to some researchers in the recent years as
34	promising results, the RTS,S/AS01 malaria vaccine administered at months 0, 1, and 2 to 5-17

35	months children confered, when boosted, about 32% protection against severe malaria for a
36	few months [4].We think that when several episodes of a natural disease fail to determine
37	immunity for more than a few months, the chance of finding a vaccine is extremely low.
38	Likewise for HIV infection, none of the efforts have had any effect despite the
39	spectacular announcements. Twelve late-stage trials worldwide are testing experimental
40	vaccines [5]. After 30 years still there is no preventive HIV vaccine [6]. Current research efforts
41	are mainly addressed to "curative" vaccine in HIV infected people, with aim to reach
42	"functional" cure. Anyway, HIV infection is not an immunizing disease. The only forms of real
43	resistance known to retroviruses are either natural resistance, such as in gorillas for HIV [7], or,
44	for a number of animals, the internalization and neutralization of the retrovirus that protects
45	against subsequent viral infections. This is called endogenization, which is a phenomenon
46	perfectly observed in Koalas [8].
47	Finally, with regard to tuberculosis, BCG is a theoretically ideal vaccine, a live vaccine, a
48	variant of tuberculosis agent. A mild disease is inoculated, that gives a perfectly effective
49	immune response that can be tested and provides robust immunity. It is effective in protecting
50	infants and children against severe miliary and meningeal TB, although its protection is variably
51	lost in adluts [9]. Nevertheless, there are currently several million new tuberculosis cases per
52	year, including 1.2 million deaths, which indicates that more than a century of vaccination
53	policy by the BCG has not really cleaned the situation. More than 20 novel TB vaccine

candidates are now in clinical trials [9, 10]. We'll see what will be the future of this renewed
research effort.

56	What has changed the prevalence of these diseases is, for malaria, long-lasting
57	insecticide-treated bednets, and for the three diseases, the treatment of carriers in order to
58	significantly reduce the reservoir. The fight against the big three killers is still ongoing, but
59	strategies based on mechanical and therapeutic prevention coupled with shortened treatments
60	are more likely in the next 20 years to help further reduce the prevalence of the three major
61	killers, rather than the hypothetical discovery of a miracle vaccine that would contradict the
62	natural observation of the cycle of these three diseases.
63	
64	Authors report no conflicts of interest. No external funding was received.
65	
66	References
67	
68	(1) Parola P. The return of the big three killers. Clin Microbiol Infect 2013 Oct; 19(10):887-8.
69	(2) WHO. Disease burden and mortality estimates Cause specific mortality, 2000–2016.
70	https://www.who.int/healthinfo/global_burden_disease/estimates/en/. Accessed February
71	2019.
72	(3) Ashley EA, Pyae PA, Woodrow CJ. Malaria. Lancet 2018 Apr 21; 391(10130):1608-21.

- 73 (4) RTS,S Clinical Trials Partnership. Efficacy and safety of RTS,S/AS01 malaria vaccine with or without
- a booster dose in infants and children in Africa: final results of a phase 3, individually
- randomised, controlled trial. Lancet. 2015 ;386(9988):31-45.
- 76 (5) Robinson HL. HIV/AIDS Vaccines: 2018. Clin Pharmacol Ther 2018 Dec; 104(6):1062-73.
- 77 (6) Maxmen A. Promising HIV vaccines could stall without coordinated research. Nature 2018 Mar
  78 1; 555(7694):17-8.
- 79 (7) D'arc M, Ayouba A, Esteban A, et al. Origin of the HIV-1 group O epidemic in western lowland
  80 gorillas. Proc Natl Acad Sci U S A 2015 Mar 17; 112(11):E1343-E1352.
- 81 (8) Greenwood AD, Ishida Y, O'Brien SP, Roca AL, Eiden MV. Transmission, Evolution, and
- 82 Endogenization: Lessons Learned from Recent Retroviral Invasions. Microbiol Mol Biol Rev
  83 2018 Mar; 82(1).
- 84 (9) Zhu B, Dockrell HM, Ottenhoff THM, Evans TG, Zhang Y. Tuberculosis vaccines: Opportunities
   85 and challenges. Respirology 2018 Apr; 23(4):359-68.
- 86 (10) Tubersulosis vaccine initiative. https://www.tbvi.eu/what-we-do/pipeline-of-vaccines/.
- 87 Accessed February 2019.

88

- -
- 89

90