

Draft genome and description of Corynebacterium haemomassiliense strain Marseille-Q3615(T) sp. nov., a new bacterium isolated from a 59-year-old man with chronic obstructive pulmonary disease symptoms

M. Boxberger, A. Antezack, S. Magnien, N. Cassir, B. La Scola

▶ To cite this version:

M. Boxberger, A. Antezack, S. Magnien, N. Cassir, B. La Scola. Draft genome and description of Corynebacterium haemomassiliense strain Marseille-Q3615(T) sp. nov., a new bacterium isolated from a 59-year-old man with chronic obstructive pulmonary disease symptoms. NEW MICROBES AND NEW INFECTIONS, 2020, 38, 10.1016/j.nmni.2020.100801. hal-03149254

HAL Id: hal-03149254 https://amu.hal.science/hal-03149254

Submitted on 21 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

- 1 Draft genome and description of Corynebacterium haemomassiliense strain Marseille-
- 2 Q3615^T sp. nov., a new bacterium isolated from a 59-year-old man suffering from
- 3 chronic obstructive pulmonary disease symptoms
- 4 Manon Boxberger¹⁻², Angéline Antezack¹⁻², Sibylle Magnien¹⁻², Nadim Cassir¹⁻², Bernard La
- 5 Scola¹⁻²*
- 6 ¹Aix Marseille Université, IRD, AP-HM, MEPHI, Marseille, France
- 7 ²IHU-Méditerranée Infection, Marseille, France

- 9 E-mail :
- 10 manon.boxberger@hotmail.fr
- 11 angeline.a@wanadoo.fr
- 12 sibylle.magnien@gmail.com
- 13 cassirnadim@gmail.com
- 14 * Corresponding author:
- 15 bernard.la-scola@univ-amu.fr

16

Draft genome and description of *Corynebacterium haemomassiliense* strain Marseille Q3615^T sp. nov., a new bacterium isolated from a 59-year-old man suffering from
 chronic obstructive pulmonary disease symptoms

4

5 Abstract

6 In 2020, as part of the diagnosis in IHU-Méditerrannée Infection Institute in Marseille (France), a blood specimen was obtained from a from a 59-year-old man suffering from 7 8 chronic obstructive pulmonary disease symptoms, from which we isolated the new bacterial 9 Corynebacterium haemomassiliense strain Marseille-Q3615^T. Matrix-assisted desorption 10 ionization-time of flight mass spectrometry (MALDI-TOF MS) failed to identify this isolate. 11 Analysis of the 16S rRNA gene and Genome-to-Genome comparison suggested that this 12 taxon belongs to a novel bacterial species within the family Corynebacteriaceae in the 13 phylum Actinobacteria. We described here the main phenotypic characteristics, genome sequence and annotation of *Corynebacterium haemomassiliense* strain Marseille-Q3615^T, a 14 15 new member of the Corynebacterium genus, that we propose as type strain.

Keywords: Bacteria, Corynebacterium, human, genome, species, sp. nov., taxonogenomics

18 Introduction

19 The genus *Corynebacterium* counts 173 species [1], some of them are of medical, veterinary or biotechnological interest [2]. Corynebacterium haemomassiliense strain Marseille-Q3615^T 20 21 was isolated as part of the diagnosis in IHU-Méditerrannée Infection Institute in Marseille 22 (France). A taxono-genomics approach—including matrix-assisted laser desorption-ionization 23 time-of-flight mass spectrometry (MALDI-TOF MS), phylogenetic analysis, main phenotypic 24 description and genome sequencing—was used to describe this species [3,4]. The genome of *Corynebacterium haemomassiliense* strain Marseille-3615^T is 2.578.128 bp long with 65.28% 25 G+C content. This new bacterium is most closely related to Corynebacterium pilbarense 26 27 strain DSM 45350 with a 16S rRNA sequence identity value of 99.12 %. Furthermore, 28 genomic comparison using the OrthoANI parameter provided a value of 73.65 % with 29 Corynebacterium striatum strain KC-NA01 (NZ CP014634.1) and a dDDH value of 43.3 % 30 with Corynebacterium afermentans strain DSM 44280, closest species standing in 31 nomenclature.

33 Material and method

34 Strain isolation and phenotypic tests

Corynebacterium haemomassiliense strain Marseille-Q3615T was initially isolated from a 35 liquid aerobic hemoculture bottle (BACT/ALERT®, bioMérieux, Marcy l'Etoile, France) 36 37 incubated 24h at 37°C, and is routinely cultivated on Columbia Agar with 5% Sheep Blood 38 media (BioMérieux, Marcy L'Etoile, France) incubated in aerobiosis at 37°C. MALDI-TOF 39 mass spectrometry (MS) protein analysis was carried out using a Microflex spectrometer 40 (Bruker Daltonics, Bremen, Germany) [8]. Spectra from strain Marseille-Q3615^T (Fig.1) were imported into the MALDI BioTyper software (version 3.0, Bruker) and analyzed by standard 41 42 pattern matching (with default parameter settings). The study was validated by the ethics 43 committee of the Institut Fédératif de Recherche IFR48. Different growth temperatures (20; 44 31.5; 37; 45 and 56°C), atmosphere conditions, anaerobic, aerobic and microaerophilic 45 (CampyGEN, Oxoid, USA) and pH (5,5; 6.5; 7.5; 8.5) were tested. API ZYM, API Coryne 46 and API 50 CH strips (BioMérieux, Marcy L'Etoile, France) were used to evaluate the 47 biochemical properties of the strain according to the manufacturer's instructions. For scanning 48 electronic microscopy, a colony was collected from agar and immersed into a 2.5 % 49 glutaraldehyde fixative solution. The slide was gently washed in water; air dried and examined with approximately 60 centimeters in height and 33 cm in width to evaluate 50 51 bacterial structure on a TM4000 microscope (Hitachi, Tokyo, Japan). Motility test was 52 performed using the semi solid TCC media as described by Tittsler *et al.*[5]

53

54 Genome sequencing

Genomic DNA (gDNA) of *Corynebacterium haemomassiliensis* strain Marseille-Q3615^T was 55 56 extracted the EZ1 biorobot (Qiagen) with EZ1 DNA tissues kit.after a mechanical and 57 enzymaic pretreatment – respectively by glass beads acid washed (G4649-500g Sigma) using 58 a FastPrep-24TM 5G Grinder (mpBio) and lysozyme incubation at 37°C . gDNA was next 59 sequenced on the MiSeq Technology (Illumina Inc, San Diego, CA, USA) with the paired end 60 strategy using the Nextera XT DNA sample prep kit (Illumina). Purification step was 61 performed using AMPure XP beads (Beckman Coulter Inc, Fullerton, CA, USA) and libraries 62 were normalized according the Nextera XT protocol (Illumina). They were pooled into a 63 single library for sequencing on the MiSeqAutomated cluster generation and paired end 64 sequencing with dual index reads were performed in a single 39-hours run in 2x250-bp. Total information of 4.8 Gb was obtained from a 511/mm² cluster density with a cluster passing
 quality control filters of 90.7%. Within this run, the index representation for *Corynebacterium haemomassiliensis* Marseille- Q3615^T was determined to index 4.8%. The 9 843 335 paired
 end reads were filtered according to the read qualities.

69

70 **Phylogeny, Genome annotation and genome comparison**

71 Assembly was performed using SPAdes software v3.10 using default parameters. [6] Genome 72 annotation was obtain through the NCBI Prokaryotic Genome Annotation Pipeline [7]. By 73 extracting the sequence, a 16S rRNA based phylogenetic tree was obtained using the 74 Maximum Likelihood method parameter within the MEGA 7 software [11]. The Genome-to 75 Genome Distance Calculator (GGDC) web server (http://ggdc.dsmz.de) was used to estimate 76 the overall identity among compared genomes and to replace the wet-lab DNA-DNA 77 hybridization (DDH) by a digital DDH (dDDH) [15, 16]. The degree of genomic identity of *Corynebacterium haemomassiliense* strain Marseille-Q3015^T with closely related species was 78 79 estimated using the OrthoANI software [8]. Antibiotic resistance genes and presence of 80 pathogenesis-related proteins was investigated using the ABRicate tool and CARD, 81 Resfinder, VFDB and PlasmidFinder databases of the Online Galaxy platform. [9]

82

83 **Results**

84 Strain identification and classification

Corynebacterium haemomassiliense strain Marseille-Q3615^T was isolated from a blood 85 specimen of a 59-year-old man suffering from chronic obstructive pulmonary disease 86 87 symptoms. This strain failed to be identified by our systematic MALDI-TOF MS screening, 88 suggesting that the corresponding species was not in the database - https://www.mediterranee-89 infection.com/acces-ressources/base-de-donnees/urms-data-base/. By analyzing its conserved sequences, Corynebacterium haemomassiliense strain Marseille-Q3615^T exhibited a 99.12% 90 91 16S gene sequence identity with Corynebacterium pilbarense strain DSM 45350 92 (NR_116953.1), the phylogenetically closest bacterium standing in nomenclature and a 93 95.60% rpoB gene - shown to be more discriminant for Corynebacterium species, validating 94 the <96.6% identity cuttoff described by Khamis et al. [10]- sequence identity with 95 Corynebacterium ureicelerivorans strain DSM 45051 (CP 009215.1) (Fig.2). Digital DNA-96 DNA hybridization analysis between the novel organism with Corynebacterium afermentans 97 strain DSM 44280 type strain revealed an identity of only 43.3 % and OrthoANI parameter 98 provided a value of 73.65 % with *Corynebacterium aurismucosum* strain ATCC 700975.

- 99 These both values are below the species delineation cut off. [11]
- 100

101 **Phenotypic characteristics**

Colonies from strain Marseille-Q3615^T showed a white pigmentation and no hemolysis. 102 103 Bacterial cells were Gram-positive, non-motile, rod-shaped bacilli with a size of 1.8 x 0.2 µm 104 determined by electronic scanning microscopy (Fig. 3). Strain Marseille-Q3615^T is a 105 facultative aerobe. Optimal growth medium pH and NaCl concentration is comprised between 106 5,5-8,5 and 10-15 g/L respectively. The sporulation test (20 minutes at 80°C) was negative. 107 Using an API strips (BioMérieux, Marcy L'Etoile, France) positive reactions were shown for 108 Pyrazinecarboxamide, 2-naphthyl-phosphate, D-glucose, D-ribose, D-saccharose (sucrose), 109 Alkaline phosphatase, Esterase (C4), Esterase Lipase (C8), Acid phosphatase, Naphthol-AS-110 BI-phosphohydrolase, N-acetyl- β -glucosaminidase. All other reactions tested were negative. 111 In addition, this bacterium shows catalase positive and oxidase negative. Table.1 synthetized the main characteristic of the strain compared to its relative species standing in nomenclature. 112

113

114 Genome properties

The genome size of strain Marseille-Q3615^T is 2,578,128-bp long with a 65.28% G+C 115 116 content. The genome de novo assembly of this strain was achieved on 4 contigs. (Fig. 4) Of 117 the 2.431 predicted genes, 2,365 were protein-coding genes and 66 were RNAs (4 16S rRNA, 118 4 additional 5S rRNAs, 4 additional 23S rRNAs 3 ncRNA and 51 tRNAs). The genome 119 properties and distribution of genes into COGs functional categories are detailed in Table 2. 120 The *in silico* resistome of the strain Marseille-Q3615^T shows 3 genes erm(X) 4, tet(W) 4 and 121 *cmx_1* with high identity percentage (94.85%, 99.01% and 99.83% respectively) that could be 122 involved in tetracycline and chloramphenicol resistance. Neither associated plasmid nor 123 virulence factor was found. OrthoANI parameter provided a value of 73.65 % with 124 Corynebacterium striatum strain KC-NA01 (Fig.5) and a dDDH value of 43.3 % with 125 Corynebacterium afermentans strain DSM 44280.

126 Discussion and conclusion

127 Using the taxono-genomics concept *i.e.* the combination of the genomic and phenotypic 128 properties of a putative new taxon, we have characterized a new bacterial species representing 129 a new species within the family *Corynebacteriaceae* found in human.(**Table.3**) It was named 130 as Corynebacterium haemomassiliense strain Marseille-3615T. Gr. fem. n. korynê, a club; L. 131 neut. n. bacterium, a rod, and in biology a bacterium (so called because the first ones 132 observed were rod-shaped); N.L. neut. n. Corynebacterium, a club bacterium. 133 Haemomassiliense, blood (Lat. transliteration haema) referring to the nature of the specimen. 134 massiliense, 'to Massilia,' the antic name of Marseille, France, where the strain was isolated.

135

136 Deposit in culture collections and Sequences Database

137 *Corynebacterium haemomassiliense* strain Marseille-Q3615^T, was deposited in CSUR
 138 collection under accession CSUR-Q3615. This Whole Genome Shotgun project has been
 139 deposited at GenBank under the accession JACDTZ000000000. 16S gene sequence has been
 140 deposited under the accession MT772001.

141

142 List of abbreviation

- 143 API Analytical Profile Index
- 144 CARD Comprehensive Antibiotic Resistance Database
- 145 CSUR Collection de Souches de l'Unité de Rickettsies
- 146 dDDH digital DDH
- 147 DDH DNA–DNA hybridization
- 148 DNA Deoxyribonucleic acid
- 149 DSM-Z Deutsche Sammlung von Mikroorganismen und Zellkulturen
- 150 GGDC Genome-to-Genome Distance Calculator
- 151 MALDI-TOF MS Matrix Assisted Laser Desorption Ionization Time of Flight Mass
- 152 Spectrometry
- 153 NCBI -National Center for Biotechnology Information
- 154 OrthoANI Ortho Average Nucleotide Identity
- 155 rRNAs Ribosomal ribonucleic acid
- 156 VFDB -Virulence Factors DataBase
- 157
- 158 Transparency declaration
- 159 None to declare

161 **Funding sources**

MB PhD grant is supported by the collaboration between M&L Laboratories and Aix
Marseille University referenced PVM: 2018-200. This study was supported by the French
State managed by the National Research Agency under the "Investissements d'avenir
(Investments for the Future)" program under the reference ANR-10-IAHU-03 (Méditerranée
Infection) and by the Région Provence-Alpes-Côte-d'Azur and the European funding FEDER
PRIMI.

168

169 Acknowledgements

170 The authors are indebted to Ludivine Brechard for sequencing the genome and the platform of

171 electron microscopy of IHU -MI for the electron micrographs.

172

174 Reference

- 175 [1] Parte AC. LPSN List of Prokaryotic names with Standing in Nomenclature
- 176 (bacterio.net), 20 years on. International Journal of Systematic and Evolutionary
- 177 Microbiology 2018;68:1825–9. https://doi.org/10.1099/ijsem.0.002786.
- 178 [2] Oliveira A, Oliveira LC, Aburjaile F, Benevides L, Tiwari S, Jamal SB, et al. Insight
- 179 of Genus Corynebacterium: Ascertaining the Role of Pathogenic and Non-pathogenic
- 180 Species. Front Microbiol 2017;8:1937. https://doi.org/10.3389/fmicb.2017.01937.
- 181 [3] Lagier J-C, Dubourg G, Million M, Cadoret F, Bilen M, Fenollar F, et al. Culturing
- the human microbiota and culturomics. Nature Reviews Microbiology 2018;16:540–50.
 https://doi.org/10.1038/s41579-018-0041-0.
- 184 [4] Ramasamy D, Mishra AK, Lagier J-C, Padhmanabhan R, Rossi M, Sentausa E, et al.
- 185 A polyphasic strategy incorporating genomic data for the taxonomic description of novel
- bacterial species. International Journal of Systematic and Evolutionary Microbiology
 2014;64:384–91. https://doi.org/10.1099/ijs.0.057091-0.
- 188 [5] Tittsler RP, Sandholzer LA. The Use of Semi-solid Agar for the Detection of Bacterial 189 Motility. J Bacteriol 1936;31:575–80.
- 190 [6] Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, et al.
- 191 SPAdes: A New Genome Assembly Algorithm and Its Applications to Single-Cell
- 192 Sequencing. Journal of Computational Biology 2012;19:455–77.
- 193 https://doi.org/10.1089/cmb.2012.0021.
- 194 [7] Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Nawrocki EP, Zaslavsky L, et
- al. NCBI prokaryotic genome annotation pipeline. Nucleic Acids Res 2016;44:6614–24.
 https://doi.org/10.1093/nar/gkw569.
- 197 [8] Lee I, Ouk Kim Y, Park S-C, Chun J. OrthoANI: An improved algorithm and software
- 198 for calculating average nucleotide identity. International Journal of Systematic and
- 199 Evolutionary Microbiology 2016;66:1100–3. https://doi.org/10.1099/ijsem.0.000760.
- 200 [9] Afgan E, Baker D, van den Beek M, Blankenberg D, Bouvier D, Čech M, et al. The 201 Galaxy platform for accessible, reproducible and collaborative biomedical analyses: 2016
- 202 update. Nucleic Acids Res 2016;44:W3–10. https://doi.org/10.1093/nar/gkw343.
- 203 [10] Khamis A, Raoult D, La Scola B. rpoB Gene Sequencing for Identification of
- 204 Corynebacterium Species. Journal of Clinical Microbiology 2004;42:3925–31.
- 205 https://doi.org/10.1128/JCM.42.9.3925-3931.2004.
- 206 [11] Abdallah RA, Beye M, Diop A, Bakour S, Raoult D, Fournier P-E. The impact of
- 207 culturomics on taxonomy in clinical microbiology. Antonie van Leeuwenhoek
- 208 2017;110:1327–37. https://doi.org/10.1007/s10482-017-0871-1.
- 209 [12] Grant JR, Stothard P. The CGView Server: a comparative genomics tool for circular
- 210 genomes. Nucleic Acids Research 2008;36:W181–4. https://doi.org/10.1093/nar/gkn179.
- 211

Figure.1 MALDI-TOF MS reference mass spectrum. Spectra from 12 individual colonies of
 Corynebacterium haemomassiliense strain Marseille-Q3615^T were compared and a reference
 spectrum was generated

215

Figure 2: A. *16S* rRNAgene (A) and *rpoB* gene (B) based phylogenetic trees highlighting the
position of *Corynebacterium haemomassiliense* sp., nov., strain Marseille-Q3615 (red)
relative to other closely related bacterial taxa. Sequences were aligned using Muscle v3.8.31
with default parameters and phylogenetic relationship inferred using the Maximum
Likelihood method, with 1,000 bootstrap replicates, within the MEGA software version 7.
Figure.3: Scanning electron microscopy of *Corynebacterium haemomassiliense*. nov., strain

Marseille-Q3615^T using a Tabletop microscope TM 4000plus (Hitachi, Tokyo, Japan). The scale bar represents $5 \,\mu$ m.

225

Figure.4: Graphical circular map of the genome from strain Marseille-Q3615^T obtained by
 CG view tool. [12]

228

229 Figure.5: Heatmap generated with OrthoANI values calculated using the OAT software

230 between Corynebacterium haemomassiliense., nov., strain Marseille-Q3615^T and other

231 closely related species standing in nomenclature.

Table.1: Differential characteristics of *Corynebacterium haemomassiliense* strain Marseille-Q 3615^{T} and closest species standing in nomenclature

	C. haemonassili ense	C. pilbarense	C. ureicelerivor ans	C. mucifaciens	C. coyleae	C. ihumii
Properties	Marseille- Q3615	IMMIB WACC 658	IMMIB RIV-2301	CCUG 36878	DSM 44184	GD7
Cell diameter (um)	1.8 x 0.2 μm	0.5–2.0 μm			1mm	0.7 µm
Oxygen requirement	Facultative	Facultative	Facultative	Facultative	Facultative	Facultative
Gram Strain	-	+	+	+	+	+
Motility	-	-	-	-	-	-
Endospore formation	na	-	-	-	-	-
Optimum temperature for growth (°C)	31.5-56°C	na	na	na	na	37
Production of :						
Alkaline phosphatase	+	+	+	+	+	+
Catalase	+	+	+	+	+	+
Oxidase	-	-	-	-	na	-
alpha-Glucosidase	-	-	-	-	-	-
Béta-galactosidase	-	-	-	-	-	-
Acid from:						
N-Acetylglucosamine	+	-	-	-	-	+
L-arabinose	-	-	+	-	-	+
D-ribose	+	+	+	variable	+	+
D-mannose	-	na	na	+	+	+
D-mannitol	-	-	-	-	-	+
D-glucose	+	+	+	+	+	+
D-fructose	-	na	na	+	+	+

D-maltose	-	-	-	-	-	+
D-lactose	-	-	na	-	-	+
G+C content (mol%)	65,28%	na	na	64 mol%	62 mol%	65.1 mol%
Habitat	Human healthy skin	ankle aspirate from a male patient	blood culture	Human clinical material	Human clinical specimens	Fecal flora of a 62 yo male patient

- Table 2: Numbers of genes of strain Marseille-Q3615^T associated with the 25 general COG
- functional categories


INFORMATION STORAGE AND PROCESSI	NG
----------------------------------	----


INFORMATION STORAGE AND PROCESSING	
[J] Translation, ribosomal structure and biogenesis	175
[A] RNA processing and modification	1
[K] Transcription	135
[L] Replication, recombination and repair	113
[B] Chromatin structure and dynamics	0
CELLULAR PROCESSES AND SIGNALING	
[D] Cell cycle control, cell division, chromosome partitioning	31
[Y] Nuclear structure	0
[V] Defense mechanisms	61
[T] Signal transduction mechanisms	73
[M] Cell wall/membrane/envelope biogenesis	99
[N] Cell motility	8
[Z] Cytoskeleton	0
[W] Extracellular structures	1
[U] Intracellular trafficking, secretion, and vesicular transport	15
[O] Posttranslational modification, protein turnover, chaperones	82
[X] Mobilome: prophages, transposons	35
METABOLISM	
[C] Energy production and conversion	95
[G] Carbohydrate transport and metabolism	117
[E] Amino acid transport and metabolism	169
[F] Nucleotide transport and metabolism	72
[H] Coenzyme transport and metabolism	107
[I] Lipid transport and metabolism	68
[P] Inorganic ion transport and metabolism	131
[Q] Secondary metabolites biosynthesis, transport and catabolism	34
POORLY CHARACTERIZED	
[R] General function prediction only	143
[S] Function unknown	98

Table 3: Description of *Corynebacterium haemomassiliense* sp. nov. strain Marseille-Q3615^T

Type of description	New description		
Species name	haemonassiliense		
Genus name	Corynebacterium		
Specific epithet	Corynebacterium		
Species Status	sp. nov		
Species etymology	<i>Corynebacterium haemomassiliense</i> strain Marseille-3615T. Gr. fem. n. <i>korynê</i> , a club; L. neut. n. <i>bacterium</i> , a rod, and in biology a bacterium (so called because the first ones observed were rod- <i>shaped</i>); <i>N.L. neut. n. Corynebacterium, a club bacterium. Haemomassiliense, blood (Lat.</i> transliteration <i>haema)</i> referring to the nature of the specimen. <i>massiliense</i> , 'to Massilia,' the antic name of Marseille, France, where the strain was isolated.		
Authors	Manon Boxberger, Angéline Antezack, Sibylle Magnien, Nadim Cassir, Bernard La Scola		
Designation of the type strain	Marseille-Q3615		
Strain collection number	CSUR		
16S rRNA gene accession number	MT772001		
Genome accession number	JACDTZ00000000		
Genome status	Whole genome		
Genome size	2.578.128 bp		
GC%	65.28%		
Country of origin	France		
Date of isolation	2019		
Source of isolation	Human healthy skin		
Conditions used for standard cultivation	Columbia Agar with 5% Sheep Blood media (BioMérieux, Marcy L'Etoile, France)		

Gram stain	+
Cell shape	irregular rods
Cell size	1.8 x 0.2 μm
Motility	-
Sporulation	-
Colony morphology	White, smooth
Temperature range	20-56°C
Temperature optimum	31.5-56°C
Relationship to O2	facultative
O2 for strain testing	+
Oxidase	-
Catalase	+





0.10

