



HAL
open science

Etablishing the first continuous Holocene tephrostratigraphy on Kerguelen Archipelago, subantarctic Indian Oean

Fabien Arnaud, Pierre Sabatier, Anouk Leloup, Aymerick Servettaz, Bertrand
N. Moine, Anne-Lise Develle, Stéphane Guédron, Vincent Perrot, Jérôme
Poulenard, Bernard Fanget, et al.

► To cite this version:

Fabien Arnaud, Pierre Sabatier, Anouk Leloup, Aymerick Servettaz, Bertrand N. Moine, et al.. Etab-
lishing the first continuous Holocene tephrostratigraphy on Kerguelen Archipelago, subantarctic Indian
Oean. EGU General Assembly 2020, May 2020, Online, France. 10.5194/egusphere-egu2020-5782 .
hal-03343650

HAL Id: hal-03343650

<https://amu.hal.science/hal-03343650>

Submitted on 14 Sep 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/340479041>

Establishing the first continuous Holocene tephrostratigraphy on Kerguelen Archipelago, subantarctic Indian Ocean

Conference Paper · April 2020

DOI: 10.5194/egusphere-egu2020-5782

CITATIONS

0

READS

174

20 authors, including:



Fabien Arnaud

Université Savoie Mont Blanc

380 PUBLICATIONS 4,863 CITATIONS

[SEE PROFILE](#)



Pierre Sabatier

Université Savoie Mont Blanc

207 PUBLICATIONS 2,235 CITATIONS

[SEE PROFILE](#)



Bertrand N. Moine

Université Clermont Auvergne

94 PUBLICATIONS 1,030 CITATIONS

[SEE PROFILE](#)



Anne-Lise Develle

Université Savoie Mont Blanc

115 PUBLICATIONS 745 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Recycled Archean oceanic crust preserved in the subcratonic mantle [View project](#)



Long-term dynamics of microbial eukaryotic communities from lakes [View project](#)

EGU2020-5782

<https://doi.org/10.5194/egusphere-egu2020-5782>

EGU General Assembly 2020

© Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



Establishing the first continuous Holocene tephrostratigraphy on Kerguelen Archipelago, subantarctic Indian Ocean

Fabien Arnaud¹, Pierre Sabatier¹, Anouk Leloup¹, Aymerick Servettaz^{1,2}, Bertrand Moine³, Anne-Lise Develle¹, Stéphane Guédron⁴, Vincent Perrot⁴, Jérôme Poulenard¹, Bernard Fanget¹, Emmanuel Malet¹, Eivind Støren⁵, Jean-Louis Reyss¹, Nicolas Le Viavan⁶, Katrien Heirman⁷, Marc De Batist⁷, Elisabeth Michel², Jacques-Louis de Beaulieu⁸, Nathalie Vanderputten², and Jostein Bakke⁵

¹Environment Dynamics and Territories of the Mountains (EDYTEM), Université Savoie Mont-Blanc, CNRS, 73000 Chambéry, France

²Laboratoire des Sciences du Climat et de l'Environnement (LSCE), CEA, CNRS, 91 Gif-sur-Yvette, France

³Laboratoire Magmas et Volcans, Université Jean Monnet, CNRS, 42023 Saint-Etienne France

⁴Institut des Sciences de la Terre (ISTerre), Université Grenoble Alpes, CNRS, Grenoble, France

⁵Department of Earth Science and Bjerknes Centre for Climate Research, University of Bergen, Allégaten 41, 5007 Bergen, Norway

⁶Institut Paul-Emile Victor (IPEV), 29280, Plouzané, France

⁷Renard Centre of Marine Geology, Department of Geology and Soil Sciences, Ghent University, Krijgslaan 281 S8, B-9000 Ghent, Belgium

⁸Institut Méditerranéen de Biodiversité et d'Ecologie marine et occidentale (IMBE), Aix-Marseille Université, CNRS, 13545 Aix en Provence, France

Here we present the first Holocene-long continuous chronology of volcanic eruptions on Kerguelen archipelago, where no evidence of Holocene volcanic activity has been published so far. Our chronicle is based upon sedimentological, chronological and geochemical data from two sediment cores, taken in two different depocenters of a large lake, Lake Armor, located ca. 70 km away from the archipelago's potentially active volcanic area. This allowed us to confidently attribute the origin of pumice-rich or ash-rich layers to contemporaneous volcanic eruptions. Altogether eight main eruptions, as well as three secondary ones, were here documented and dated, among which the youngest occurred during the Middle Age, between 890 and 980 AD. The oldest eruption is also by far the strongest one and deposited more than 1.2m of up-to 3cm large pumices, 70 km away from the volcanic edifice. It occurred at the very beginning of the Holocene (11 ka cal. BP), suggesting a climatic control after glacial retreat upon volcanic activity. Additional evidences from lake sediment and geological outcrops, both close to Lake Armor and in remote areas over Kerguelen mainland, open the future possibility of a better reconstruction of major eruptions deposit spreading and thus an assessment of their intensity. This established chronostratigraphy will be useful to synchronise paleoenvironment record at least at the scale of the archipelago as well as in surrounding marine areas where Holocene climate reconstructions are particularly sparse.